

# 2025 PRICE LIST I

Price list – €

arper

# Introduction to Arper Price List

Arper Price List is a complete and comprehensive tool, including all relevant information to formulate an order. Please find below some instructions to simplify the consultation.

- 1 Product description and materials with which it is made; information on stacking characteristics (where possible) and related matching accessories (the complete list can be found on the last pages of each specific collection).  
As far as sofas and upholstered items in general are concerned, seat height indicated in the price list refers to the maximum height measured in the seat center.
- 2 Prices matrix: for each article code number, the prices exclusive of VAT are shown, according to the 14 classes of upholstery available.
- 3 Technical information related to:  
shipping: number of packages, weight and volume  
product: fabric length / leather needed for the realization of the product with upholstery outside the price list (COM and COL)  
resistance and fire retardancy testing to which the product has been subjected and validated (only available for upholstery within the Carded In programme).
- 4 Finishes available for base and shell; detailed images of elements that can be configured on the product (e.g. armrests).
- 5 Technical and environmental product certifications available.

## Currency

Prices are indicated in euro (€).

All prices are unit prices without VAT (excluding VAT).

in writing to Arper, citing the specifications of the

fire-retardant norm with which the articles must comply.

## Dimensions

The dimensions of all articles are given in centimetres (cm).

## Quantity

The number of pieces per box is stated in the description of the selected item – any quantity other than that specified is not permitted.

It is not possible to combine articles of different colours and/or materials and/or structure finishes inside the same box.

## Volume

The stated volume refers to the space occupied by the box(es) necessary for the selected item. It is therefore recommended that an increase of approximately 10-15% should be applied to the total volume to allow for gaps which naturally occur between cartons whilst loading.

The company reserves the right to make modifications and improvements of a technical or aesthetic nature to the product without warning.

## Fire-retardancy

Arper products can be supplied treated for fire-retardancy. However, since the regulations vary from one place to another, we advise you to check up on the local regulations. Any requests for fire-retardant treatment must be sent

## Abbreviations



Disassembled



Fire-retardancy




Outdoor

# Consultation Guidelines

## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg frame, available in chromed or powdercoated steel, or brushed stainless steel versions. The shell is available in single-colour polypropylene, bi-colour polypropylene or upholstered in hard leather grade 1 (CT) or hard leather grade 2 (CU). Versions with polypropylene shell and powdercoated or brushed base can be used outdoor. Steel armrests, also with pad, are available upon request.

### Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
  - With trolley: up to 20 pcs.
  - CT/CU versions: max. 5 pcs. With stacking pad.
- VERSION WITH ARMRESTS STACKABILITY
- Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).


### Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0260  
Cushion Art. 0261  
Stacking protection pad Art. 0262  
Basket Art. 0265  
Trolley Art. 0760  
Set of glides Art. 2015  
Movable link Art. 2073

| ART. 0251                                                                  | CT   | CU | PO bi-color | PO single-color |
|----------------------------------------------------------------------------|------|----|-------------|-----------------|
| CHROMED / POWDERCOATED                                                     | XX   | XX | XX          | XX              |
| BRUSHED STAINLESS STEEL                                                    | XX   | XX | XX          | XX              |
| Armrests BV                                                                | + XX |    |             |                 |
| Armrests BV brushed stainless steel                                        | + XX |    |             |                 |
| Armrests CV - pad (only for PO)                                            | + XX |    |             |                 |
| Hole on shell to allow water drainage (only for PO)                        | + XX |    |             |                 |
| Polypropylene fire retardant (only for PO)                                 | + XX |    |             |                 |
| (For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs) |      |    |             |                 |

| SHIPMENT DETAILS                                                                                                                                                                                                    | TECHNICAL SPECIFICATIONS                                                                 | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0251</b><br>1 pz = 2 kg 7,9/ m³ 0,25<br>4 pz = 2 kg 28/ m³ 0,32<br>                                                                                                                                          | <b>Art.0251</b><br>Outdoor: only for PO+S03, V12, V13, V39, V48, V53, V54, V55, V56, V57 | <ul style="list-style-type: none"> <li>• EN 1728-2000 - EN 15373:2007 6.10</li> <li>• EN 1728-2000 - EN 15373:2007 6.16</li> <li>• EN 1728-2000 - EN 15373:2007 6.2.2</li> <li>• EN 1728-2000 - EN 15373:2007 6.6</li> <li>• EN 1728-2000 - EN 15373:2007 6.8</li> <li>• EN 1728-2012 - EN 16139:2013 6.16</li> <li>• ANSI/BIFMA X5.1-2002/16</li> <li>• EN 1022-05</li> <li>• EN 1728-2012 - EN 16139:2013 6.5</li> <li>• EN 1728-2012 - EN 16139:2013 6.18</li> <li>• UNI 9083/87</li> <li>• EN 1728-2000 - EN 15373:2007 6.15</li> <li>• EN 1728-2000 - EN 15373:2007 6.2.1</li> <li>• EN 1728-2000 - EN 15373:2007 6.5</li> <li>• EN 1728-2000 - EN 15373:2007 6.7</li> <li>• EN 1728-2012 - EN 16139:2013 6.15</li> <li>• ANSI/BIFMA X5.1-2002/11</li> <li>• ANSI/BIFMA X5.1-2002/6</li> <li>• EN 1728-2012 - EN 16139:2013 6.4</li> <li>• EN 1728-2012 - EN 16139:2013 6.17</li> <li>• TUV GS (EN16139)</li> </ul> |
| <b>FIRE RETARDANT TEST</b><br>BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU |                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

### Frame Base



# General Terms and Conditions of Sale

## 1 Application of these General Sales Conditions

The present General Terms and Conditions of Sale (GTCs) shall apply to any supply of goods by ARPER, including goods made by using components provided by the customer (COM/COL customized supplies).

These GTCs shall prevail on any ARPER customer's ("Purchaser") general terms and conditions of purchase. Any possible amendment to these GTCs shall be made in writing.

## 2 Finalization of Supply

Offers and promises made by any ARPER's agent or sales representative shall not be binding upon ARPER unless ARPER issues a written confirmation.

Supplies agreed with the clause "subject to availability" or similar shall be conditional upon confirmation by ARPER that the goods concerned are actually available.

Tests on components provided by the Purchaser shall not, per se, constitute acceptance of the order.

Orders placed by Purchaser shall be considered as firm after 3 (three) days from receipt, and are subject to written order confirmation by ARPER. If such confirmation is not received, this means that the order has been refused, unless ARPER has indicated its acceptance in some other way.

Should the terms & conditions in a Purchaser's order diverge from those set forth in ARPER's relevant order confirmation, the latter shall prevail (a) where said divergence is not material and Purchaser does not promptly object; (b) in any case, where Purchaser de facto starts performing its contractual obligations.

## 3 Delivery

Delivery shall be governed by the ICC INCOTERMS in force at the time of order confirmation. Unless otherwise agreed upon in writing –

Scheduled dates shall refer to shipment irrespective of the delivery term utilized, and shall serve as an indication only. Purchaser shall be entitled to terminate the contract failing shipment within 20 working days from relevant scheduled date. ARPER is not however liable for the payment of any damages for delayed delivery.

If the Purchaser does not take delivery on the agreed date, ARPER shall have the right to terminate the contract, to keep the goods available to the Purchaser and charge storage costs, or to arrange for its own carrier to transport the goods to the Purchaser's premises at the expense and risk of the

latter.

ARPER goods are delivered suitably packed and may be delivered disassembled. Disposal of the packaging shall be the responsibility of the Purchaser.

## 4 Prices

The price of the goods is that indicated in the ARPER price lists in force at the time the order is placed and is net of duties, taxes, transport, assembly or similar costs.

## 5 Payment

Unless otherwise agreed, payment shall be made directly to ARPER, together with the purchase order.

In the event of late or non-payment, ARPER may terminate the contract by written communication to that effect. Interest for late payment will be charged at the ECB reference rate plus 12 points.

Until full payment has been made, the goods remain the property of ARPER, which has the right to take them back. Unless otherwise legally ruled, the reservation of title extends to the proceeds of any resale of the goods to third parties.

## 6 Non-conformity

ARPER goods are made in conformity with EU standards; any other requirements must be agreed in writing.

Descriptions of goods in ARPER catalogues or other illustrative publications are given as an approximate indication and any divergences may not be considered as non-conformity. Conformity to a sample, if specified, must take into account the tolerances inherent in the use of natural materials (such as hide, leather, wool, wood, etc.) which do not give uniform results.

Save what provided under section 7 below (warranty), Purchaser loses the right to rely on a lack of conformity of the goods if he does not give written notice to ARPER — specifying the nature of alleged lack of conformity and providing ARPER with pictures of satisfying details and evidence of reservations, if any, made upon taking delivery — within eight days after he has discovered it or ought to have discovered it and, in any event, within two months from the date on which the goods were actually handed over to Purchaser. ARPER shall repair or replace free of charge any non-conforming goods; ARPER shall bear no further liability whatsoever. Neither return of goods, nor price reduction is allowed unless authorized in writing by ARPER.

# General Terms and Conditions of Sale

## 7 Warranty

Subject to the provisions therein, ARPER shall guarantee that their goods will maintain their characteristics for a period of five years (reduced to two for electric/electronic components) from the date of delivery as per section 3 above,

Any extension of this guarantee period shall be against a surcharge, to be agreed between the parties.

The present warranty shall not apply to:

- any component supplied by Purchaser, or by a third party upon Purchaser's request;
- goods whose price is not fully paid.

The present warranty shall not apply to alterations caused by:

- normal wear and tear;
- imperfections, changes, and normal tolerances of natural materials and fibres (covers loss of elasticity included);
- assembling, utilization, or maintenance not conforming to indications as per relevant Products Sheet (e.g. stacking without proper stacking pad);
- abnormal, not previously agreed upon utilization (e.g. in unusual environmental conditions, or task chairs utilized more than 8 hours/day for 220 days a year);
- user's reckless behavior (e.g. scratches, or coloring due to user's clothes such as blue denim, or metal studs).

A request for warranty intervention is to be filed in accordance with the procedure set by ARPER, and ARPER is to be granted access to any claimed goods.

In all cases where the present guarantee applies, ARPER shall at its option either:

- (i) replace the guaranteed goods. Should the goods be guaranteed for more than two years, Purchaser shall pay a contribution of 40%, 60%, or 80% of their original purchase price, if intervention is requested respectively in the 3rd, 4th, or 5th year; or
  - (ii) to pay Purchaser a compensation equal to the purchase price. Should the goods be guaranteed for more than two years, said compensation shall be reduced to 60%, 40%, and 20% of their purchase price, if intervention is requested respectively in the 3rd, 4th, or 5th year.
- ARPER shall bear no further liability. Purchaser shall waive any right of redress against ARPER deriving from Purchaser's liability towards a consumer.

## 8 Manufacturer's liability

The Purchaser is obliged to inform their customers and other individuals further down the goods distribution chain of the usage characteristics of these goods in order to minimize the risk of improper use which might expose ARPER to claims under manufacturer's liability. Failing this, the Purchaser shall exonerate ARPER from any liability.

## 9 ARPER's intellectual and industrial property rights

Any of ARPER's production and/or commercial technology, whether patented or not, which is not in the public domain and which comes to the knowledge of the Purchaser shall be treated by the latter as confidential and shall not be used or divulged in any way without written permission from ARPER. The Purchaser is required not to register or use distinctive marks that are similar or identical to those used by ARPER.

## 10 Disputes and applicable rules

**DISPUTES.** Any disputes relating to either this GTCs, and any transactions governed by it shall the same be finally settled in compliance with the QUADRAADR Rules ([www.adrquadra.com](http://www.adrquadra.com)). Notwithstanding the above, ARPER shall be entitled to address either the Treviso court, or the competent court in the Purchaser's jurisdiction in order to obtain an ex parte payment order in respect of any unpaid supplied goods.

**RULES.** For anything not specified herein, the Vienna 1980 Convention on International Sale of Goods and, subordinately, the Unidroit Principles on International Commercial Contracts (latest version) shall apply.

N.B. Purchaser acknowledges that ARPER has adopted, and implemented a scheme for its organization, management, and control ("Model 231") in compliance with legislative decree no. 231 of June 8th, 2001. Purchaser declares to have read and fully understood the Ethical Code and the Model 231 as available in ARPER website ([www.arper.com](http://www.arper.com)) and hereby declares to comply with the principles and content therein.

# General Terms and Conditions of Sale

## Freight charges: details

| Order value                            | Freight charges |
|----------------------------------------|-----------------|
| up to 700 EUR                          | 80 EUR          |
| above 700 EUR                          | DDP             |
| NOT APPLICABLE IF DELIVERY IS EX-WORKS |                 |

## Fabric and Leather programs

All fabrics and materials on this Price List are divided into 14 classes, identified by an alphabetical code (A, B, C, D,... ). These classes include the customer's fabrics (COM) and the customer's leathers (COL) belonging to classes B and C respectively.

| Chairs and Stools |             | Sofas and Benches | Panels and Furnishings |
|-------------------|-------------|-------------------|------------------------|
| Aava 02           | Mixu 02     | Arcos             | Paravan                |
| Adell             | Norma       | Colina            | Parentesit             |
| Aston             | Saari chair | Kiik              |                        |
| Aston Club        | Saya        | Loop              |                        |
| Arcos             | Stacy       | Pix               |                        |
| Art. 6100         |             | Ralik             |                        |
| Art. 6103         | Cushions    | Saari Sofa        |                        |
| Catifa 46         |             | Sean              |                        |
| Catifa 53         | Owl         | Shaal             |                        |
| Catifa Up         | Leaf        | Steeve            |                        |
| Catifa Sensit     | Lines       | Steeve Lou        |                        |
| Catifa 60         | Pleats      | Zinta             |                        |
| Catifa 80         |             |                   |                        |
| Cila              |             |                   |                        |
| Cila Go           |             |                   |                        |
| Duna 02           |             |                   |                        |
| Juno 02           |             |                   |                        |
| Kata              |             |                   |                        |
| Kinesit           |             |                   |                        |
| Leaf chair        |             |                   |                        |
| Lepal             |             |                   |                        |

## Leather finishes

The leather upholstery offer consists of the following program:

---



Elmosoft leather

Semi-aniline leather Chrome free

Leather

Soft leather

Pigmented leather



Elmocoast leather

Pigmented leather

Semi-aniline leather combines naturalness, comfort and durability. The surface of this leather is treated with a lightweight coat of color that increases its wear resistance, preserving its natural look with a soft and pleasing feel.

Elmosoft leather: soft and flexible semi-aniline leather. Its softness and breathability, coupled with a durability and an extremely wide color range, make it suitable both for contract and residential sectors.

Pigmented leather in terms of manufacture, the leather undergoes the same processes as aniline or semi-aniline leather, with additional dyeing and finishing treatments to meet different needs in terms of comfort, softness to the touch, strength, durability and color. Its wear resistance and ease of cleaning make it suitable for many uses.

Soft leather: leather characterized by a smooth and uniform surface, soft to the touch with a delicate and natural grain, which lends it a particularly elegant feel.

Neocoast leather: leather characterized by a uniform surface, with a light grain and a soft feel, available in a wide range of shades.

# Leather finishes

## Natural characteristics:

Leather and hard leather may show marks and imperfections such as wrinkles, veins, differences in color from one batch to another. These are distinctive features that distinguish genuine leathers and their natural beauty, ensuring the authenticity of the material and the unique comfort that only a natural product can offer.

Also our leather samples reflect this variability, both among different types of leathers and for the same type of leather, changing the shades of color and their natural features.

Any samples, supplied on request with reference to individual orders, are not to be considered as a guarantee of perfect homogeneity between sample and actual supply.

In this respect, the characteristics listed below are intended to be compliant with Arper quality standards and shall not constitute a ground for disputing products:

— Grain variations: areas of the leather where grain can be coarse, for example the part of the leather between the side and the belly.

— Wrinkles, veins and stretch marks: they have a width of about 3-4 mm, with a slightly rougher grain in the surrounding area. They are more visible against the light.

— Backbone: back part of the animal, where the skin is the most valuable as it is the thickest and most compact part. It can have wrinkles.

— Insect bites: small marks on the surface of the leather due to different types of insect bites.

## Grain variations example




## Backbone example



## Wrinkles, veins and stretch marks example



## Insect bites example



## Cleaning and maintenance:

Avoid exposure of the products to direct sunlight: it can alter the color of upholstery.

Avoid exposure to heat sources.

Dust the leather regularly with a soft dry cloth.

Any stain can be removed using a cloth dampened with water and neutral soap. Do not rub, but gently dab from the edge towards the center of the stain. Dry immediately after treatment.

## Fabrics & Leathers

|                | Collections      | Upholstery Code | Arper Grade |
|----------------|------------------|-----------------|-------------|
| <b>Kvadrat</b> | Atom             | AM              | M           |
|                | Azure Outdoor    | AZ              | E           |
|                | Balder 3         | B1              | I           |
|                | Canvas 2         | CV              | D           |
|                | Divina 3         | DV              | G           |
|                | Divina MD        | DI              | G           |
|                | Divina Melange 3 | DM              | G           |
|                | Field 2          | FI              | B           |
|                | Fiord 2          | FD              | F           |
|                | Hallingdal 65    | HA              | G           |
|                | Jaali            | JA              | G           |
|                | Moss             | M8              | H           |
|                | Patio Outdoor    | PT              | E           |
|                | Re-wool 2        | RW              | E           |
|                | Remix 3          | RX              | C           |
|                | Revive 1         | R1              | B           |
|                | Ria              | RA              | ES          |
|                | Savanna          | SA              | G           |
|                | Sonar 3          | S7              | M           |
|                | Steelcut 3       | SE              | G           |
|                | Steelcut Trio 3  | ST              | G           |
|                | Tonus 4          | T3              | F           |
|                | Vidar 4          | VD              | J           |
| <b>Camira</b>  | Main Line Flax   | MF              | C           |
|                | Synergy          | SN              | C           |
|                | Xtreme           | XP              | B           |

## Fabrics & Leathers

|                     | Collections       | Upholstery Code | Arper Grade |
|---------------------|-------------------|-----------------|-------------|
| <b>Elmo Leather</b> | Elmosoft          | ES              | ES          |
|                     | Neocoast          | P4              | H           |
| <b>Gabriel</b>      | Grain             | GI              | C           |
|                     | Step              | S1              | B           |
|                     | Step Melange      | SM              | B           |
| <b>FiDiVi.</b>      | Jet               | JE              | A           |
| <b>Limonta</b>      | Cico Outdoor      | C2              | C           |
|                     | Lorkey Outdoor    | LK              | D           |
| <b>Maharam</b>      | Messenger         | MS              | D           |
| <b>Rohi</b>         | Sera              | S8              | G           |
| <b>Rubelli</b>      | Fabthirty Outdoor | FB              | F           |
| <b>Spradling</b>    | Silvertex Outdoor | SX              | C           |
|                     | Valencia          | VL              | B           |
| <b>Sunbrella</b>    | Heritage Outdoor  | HE              | D           |
|                     | Savane Outdoor    | SV              | C           |
| <b>Arper</b>        | Pelle fiore       | PF              | J           |
|                     | COL               | COL             | COL         |
|                     | COM               | COM             | COM         |

## Summary chart for Fabrics & Leathers Program

| Supplier     | Collection          | Upholstery Code | Arper Grade |
|--------------|---------------------|-----------------|-------------|
| Kvadrat      | Atom                | AM              | M           |
| Kvadrat      | Azure – Outdoor     | AZ              | E           |
| Kvadrat      | Balder 3            | B1              | I           |
| Kvadrat      | Canvas 2            | CV              | D           |
| Kvadrat      | Divina 3            | DV              | G           |
| Kvadrat      | Divina MD           | DI              | G           |
| Kvadrat      | Divina Melange 3    | DM              | G           |
| Kvadrat      | Field 2             | FI              | B           |
| Kvadrat      | Fiord 2             | FD              | F           |
| Kvadrat      | Hallingdal 65       | HA              | G           |
| Kvadrat      | Jaali               | JA              | G           |
| Kvadrat      | Moss                | M8              | H           |
| Kvadrat      | Patio – Outdoor     | PT              | E           |
| Kvadrat      | Re-wool 2           | RW              | E           |
| Kvadrat      | Remix 3             | RX              | C           |
| Kvadrat      | Revive 1            | R1              | B           |
| Kvadrat      | Ria                 | RA              | ES          |
| Kvadrat      | Savanna             | SA              | G           |
| Kvadrat      | Sonar 3             | S7              | M           |
| Kvadrat      | Steelcut 3          | SE              | G           |
| Kvadrat      | Steelcut Trio 3     | ST              | G           |
| Kvadrat      | Tonus 4             | T3              | F           |
| Kvadrat      | Vidar 4             | VD              | J           |
| Camira       | Main Line Flax      | MF              | C           |
| Camira       | Synergy             | SN              | C           |
| Camira       | Xtreme              | XP              | B           |
| Elmo Leather | Elmosoft            | ES              | ES          |
| Elmo Leather | Neocoast            | P4              | H           |
| FiDiVi.      | Jet                 | JE              | A           |
| Gabriel      | Step                | S1              | B           |
| Gabriel      | Step Melange        | SM              | B           |
| Limonta      | Cico – Outdoor      | C2              | C           |
| Limonta      | Lorkey – Outdoor    | LK              | D           |
| Maharam      | Messenger           | MS              | D           |
| Rohi         | Sera                | S8              | G           |
| Rubelli      | Fabthirty – Outdoor | FB              | F           |
| Spradling    | Silvertex – Outdoor | SX              | C           |
| Spradling    | Valencia            | VL              | B           |
| Sunbrella    | Heritage – Outdoor  | HE              | C           |
| Sunbrella    | Savane – Outdoor    | SV              | C           |
| Arper        | Pelle fiore         | PF              | J           |
|              | COL                 | COL             | COL         |
|              | COM                 | COM             | COM         |

# Catifa 46 / Catifa 53

## Design by Lievore Altherr Molina

### 2009

**clip-it.easy®**

Arper designed and patented a new fixing system for the Catifa 46 and Catifa 53 shells making these two models even more suitable for the contract segment. The new clip-it-easy® system is based on a prestressed steel spring fixed directly onto the bases (with or without fixing plate) of the Catifa 46 and Catifa 53 collections without modifying the original Design by of the shell.

This solution offers many advantages such as:

- No shell treatment required;
- Easy to assemble;
- Elimination of any friction between the polypropylene shell and the metal frame (= increased product lifetime)

Thanks to the clip-it-easy® system, expressing Arper's attention to continuous product quality improvement, Catifa 46 and Catifa 53 are proving increasingly suitable for spaces involving intensive use of furniture (canteens, offices, contract sector).

For the video and the PDF file on the assembly instructions of Catifa 46 and Catifa 53 please visit our website:

**[www.arper.com](http://www.arper.com)**



4 legs / sled base



Base with fixed plate

**NO SCREWS  
NO TOOLS**

## Product Certification



[greenguard.org](http://greenguard.org)



[geca.org.au](http://geca.org.au)



[environdec.com](http://environdec.com)




The mark of  
responsible forestry  
[fsc.org](http://fsc.org)

[environment@arper.com](mailto:environment@arper.com)

# CATIFA 46

---

Design by  
Lievore Altherr Molina  
2004



# Catifa 46

## Collection overview

### Bases

---



4 legs  
Armrest versions



4 wood legs



Sled  
Armrest versions



Technical sled



Aluminum trestle  
swivel base  
Armrest versions



Aluminum trestle  
fixed base  
Armrest versions



Aluminium 5 ways steel  
Armrest versions



Counter stool  
sled



Bar stool  
sled



Counter stool  
swivel base



Bar stool  
swivel base

# Catifa 46

## Shells

### Polypropylene



One color



Two colors



With cushion upholstered



With frontal upholstered

### Upholstery



Upholstered with line detail stitching.



Upholstered with a removable cover. Line detail stitching.

### Wood



Available for 4 legs, 4 wooden legs and sled.

## Armrest types



BV =  
armrests structure in steel



CV =  
Polypropylene pad



CI =  
Upholstered pad


For further accessories please go at the end of the collection



Outdoor options:  
available for polypropylene shells and  
the follow bases:  
— 4 legs  
— Sled

## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg frame, available in chromed or powdercoated steel. The shell is available in single-colour polypropylene or bi-colour polypropylene. Upon request armrests are offered in the same finishes of the base, also with pad.

Accessories:  
 Link Art. 0258  
 Removable cover Art. 0309  
 Trolley Art. 0760  
 Set of glides Art. 2015  
 Movable link Art. 2073

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 20 units
- with link: without tools up to 10 units
- with link: with trolley up to 14 units

- with arms (BV version only): without tools up to 5 units
- with arms (BV version only): with trolley up to 5 units
- with arms (BV version only) with link: without tools up to 5 units
- with arms (BV version only) with link: with trolley up to 5 units

| € ART. 0251            | PO bi-color | PO single-color |  |
|------------------------|-------------|-----------------|--|
| CHROMED / POWDERCOATED | 219         | 195             |  |
|                        |             |                 |  |

|                                                          |       |                                                                    |
|----------------------------------------------------------|-------|--------------------------------------------------------------------|
| Armrests BV                                              | + 100 |                                                                    |
| Armrests CV - pad (only for PO)                          | + 31  |                                                                    |
| Hole on shell hole to allow water drainage (only for PO) | + 13  |                                                                    |
| Outdoor powdercoated                                     | + 46  |                                                                    |
| Polypropylene fire retardant (only for PO)               | + 33  | (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) |



# Catifa 46

Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | TECHNICAL SPECIFICATIONS                                                                                                                                                                         | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0251</b><br>1 pz = 2  - kg 7,9/ m³ 0,247<br>1 pz = 3  - kg 10,2/ m³ 0,271<br>4 pz = 2  - kg 28/ m³ 0,322<br>4 pz = 3  - kg 35,7/ m³ 0,34 | <b>Art.0251</b><br>Outdoor: only for PO, V12, V39, V53, V54, V55, V56, V57 Outdoor powdercoated<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.16</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• TUV GS (EN16139)</li> </ul> |

## FIRE RETARDANT TEST

Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.

## Frame Base



## Shell



Available also in one colour version (please check section "Finishes").

## Armrest




Stackable

Outdoor use

## Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four-leg steel frame, available in chromed or powdercoated version. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Upon request armrests are offered in the same finishes of the base, also upholstered.

### Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760  
Set of glides Art. 2015  
Movable link Art. 2073

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| € ART. 0450                            | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|----------------------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED PO two color    | 309 | 316   | 323   | 330 | 337 | 344 | 351 | 358 | 365 | 372 | 379 | 386 | 393 | 418 |
| CHROMED / POWDERCOATED PO single color | 284 | 291   | 298   | 305 | 312 | 319 | 326 | 333 | 340 | 347 | 354 | 361 | 368 | 392 |
|                                        |     |       |       |     |     |     |     |     |     |     |     |     |     |     |
|                                        |     |       |       |     |     |     |     |     |     |     |     |     |     |     |

|                        |       |
|------------------------|-------|
| Armrests BV            | + 100 |
| Armrests CI - only pad | + 67  |



# Catifa 46

Design by Lievore Altherr Molina, 2012

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0450</b><br>1 pz = 2  - kg 10,6/ m³ 0,272<br>1 pz = 3  - kg 12,9/ m³ 0,3<br>4 pz = 2  - kg 35,44/ m³ 0,368<br>4 pz = 3  - kg 43,12/ m³ 0,404 | <b>Art.0450</b><br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.16</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• TUV GS (EN16139)</li> </ul> |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base



## Shell



Available also in one colour version (please check section "Finishes").


## Armrest



arper

## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed or powdercoated version. Polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's own material. Upon request armrests are offered in the same finishes of the base, also upholstered.

Accessories:

Link Art. 0258

Stacking protection pad with link Art. 0277

Stacking protection pad Art. 0499

Trolley Art. 0760

Set of glides Art. 2015

Movable link Art. 2073

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| € ART. 0458            | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED | 446 | 460   | 474   | 488 | 502 | 516 | 530 | 544 | 558 | 572 | 586 | 600 | 614 | 768 |
|                        |     |       |       |     |     |     |     |     |     |     |     |     |     |     |

|                        |       |
|------------------------|-------|
| Armrests BV            | + 100 |
| Armrests CI - only pad | + 67  |



# Catifa 46

Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0458</b><br>1 pz = 2  - kg 10,6/ m³ 0,272<br>1 pz = 3  - kg 12,9/ m³ 0,3<br>4 pz = 2  - kg 35,44/ m³ 0,368<br>4 pz = 3  - kg 43,12/ m³ 0,404 | <b>Art.0458</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.16</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• TUV GS (EN16139)</li> </ul> |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base



## Shell



## Armrest



arper

## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed or powdercoated version. The shell is upholstered in fabric, leather, coated fabric or customer's own material. Line detail stitching. Upon request armrests are offered in the same finishes of the base.

### Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760  
Set of glides Art. 2015  
Movable link Art. 2073

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| € ART. 0253            | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED | 457 | 486   | 515   | 544 | 573 | 602 | 631 | 660 | 689 | 718 | 747 | 776 | 805 | 907 |
|                        |     |       |       |     |     |     |     |     |     |     |     |     |     |     |

|                        |       |
|------------------------|-------|
| Armrests BV            | + 100 |
| Armrests CI - only pad | + 67  |



# Catifa 46

Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | TECHNICAL SPECIFICATIONS                                                                                                                                                    | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0253</b><br>1 pz = 2  - kg 9,2/ m² 0,265<br>1 pz = 3  - kg 11,5/ m² 0,293<br>4 pz = 2  - kg 34/ m² 0,36<br>4 pz = 3  - kg 41,7/ m² 0,396 | <b>Art.0253</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.16</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• TUV GS (EN16139)</li> </ul> |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.  
 • FIRE RETARDANT VERSION WITH SURCHARGE \* Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

## Frame Base




## Armrest



arper

## Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with four-leg steel frame, available in chromed or powdercoated version. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in fabric, leather, coated fabric, or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Upon request armrests are offered in the same finishes of the base.

### Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0277  
Stacking protection glide Art. 0286  
Stacking protection pad Art. 0499  
Trolley Art. 0760  
Set of glides Art. 2015  
Movable link Art. 2073

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms (BV version only): with stacking pad, without tools up to 2 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

| € ART. 0310                    | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|--------------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED - Cover | 462 | 491   | 520   | 549 | 578 | 607 | 636 | 665 | 694 | 723 | 752 | 781 | 810 | 913 |
|                                |     |       |       |     |     |     |     |     |     |     |     |     |     |     |

|             |       |
|-------------|-------|
| Armrests BV | + 100 |
|-------------|-------|



# Catifa 46

Design by Lievore Altherr Molina, 2013

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | TECHNICAL SPECIFICATIONS                                                                                                                                                     | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0310</b><br>1 pz = 2  - kg 10,6/ m² 0,272<br>1 pz = 3  - kg 12,9/ m² 0,3<br>4 pz = 2  - kg 35,44/ m² 0,368<br>4 pz = 3  - kg 43,12/ m² 0,404 | <b>Art.0310</b><br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.16</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• TUV GS (EN16139)</li> </ul> |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.  
 • FIRE RETARDANT VERSION WITH SURCHARGE \* Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

## Frame Base



## Armrest



Armrests BV



Cover




Stackable

arper

## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed or powdercoated version. 3D curved plywood shell with a reconstituted oak finish. Upon request armrests are offered in the same finishes of the base.

Accessories:  
Link Art. 0258  
Stacking protection glide Art. 0286  
Trolley Art. 0760  
Set of glides Art. 2015  
Movable link Art. 2073

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units
- with link: with stacking pad, without tools up to 10 units
- with link: with stacking pad, with trolley up to 10 units

- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

|                        |      |  |
|------------------------|------|--|
| € <b>ART. 0351</b>     | WOOD |  |
| CHROMED / POWDERCOATED | 493  |  |
|                        |      |  |

|             |       |
|-------------|-------|
| Armrests BV | + 100 |
|-------------|-------|



# Catifa 46

Design by Lievore Altherr Molina, 2004

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | TECHNICAL SPECIFICATIONS                                                                                         | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art.0351</b><br>1 pz = 2  - kg 7,38/ m³ 0,241<br>1 pz = 3  - kg 9,68/ m³ 0,269<br>4 pz = 2  - kg 25,9/ m³ 0,316<br>4 pz = 3  - kg 33,6/ m³ 0,352 | <b>Art.0351</b><br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.25</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• TUV GS (EN16139)</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.24</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> </ul> |

## FIRE RETARDANT TEST

Classe 1 Omologazione Italia Legno.

## Frame Base



## Shell




## Armrest



arper

## Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base and single-colour or bi-colour polypropylene shell. Provided with glides suitable for various surfaces.

Accessories:  
Link Art. 0258  
Removable cover Art. 0309

|                                            |                    |                        |  |
|--------------------------------------------|--------------------|------------------------|--|
| € <b>ART. 0355</b>                         | <b>PO bi-color</b> | <b>PO single-color</b> |  |
| WOOD LEGS                                  | 374                | 350                    |  |
| Polypropylene fire retardant (only for PO) | +    33            |                        |  |

### Frame Base



### Shell




Available also in one colour version (please check section "Finishes").



## Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base and polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Provided with glides suitable for various surfaces.

Accessories:  
Link Art. 0258

| € ART. 0308                                                                                                                                                                                                                                   | A   | B COM                                                                | C COL | D   | E   | F                                  | G   | H   | I   | J   | K   | L   | M   | ES  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------|-------|-----|-----|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| WOOD LEGS PO two color                                                                                                                                                                                                                        | 464 | 471                                                                  | 478   | 485 | 492 | 499                                | 506 | 513 | 520 | 527 | 534 | 541 | 548 | 573 |
| WOOD LEGS PO single color                                                                                                                                                                                                                     | 439 | 446                                                                  | 453   | 460 | 467 | 474                                | 481 | 488 | 495 | 502 | 509 | 516 | 523 | 547 |
| SHIPMENT DETAILS                                                                                                                                                                                                                              |     | TECHNICAL SPECIFICATIONS                                             |       |     |     | RESISTANCE TEST                    |     |     |     |     |     |     |     |     |
| Art.0308<br>1 pz = 2  - kg 10,6/ m³ 0,285<br>4 pz = 2  - kg 35,44/ m³ 0,374 |     | Art.0308<br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 |       |     |     | • EN 1022:05<br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                           |     |                                                                      |       |     |     |                                    |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                  |     |                                                                      |       |     |     |                                    |     |     |     |     |     |     |     |     |

### Frame Base



L0020 L0021 L0022 L0023



### Shell




PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218

Available also in one colour version (please check section "Finishes" ).



## Catifa 46

Design by Lievore Altherr Molina, 2012




Chair with oak timber four-leg base and polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's own material. Provided with glides suitable for various surfaces.

Accessories:  
Link Art. 0258

| € ART. 0358                                                                                                                                                                                                                                   | A   | B COM                                                                | C COL | D   | E   | F                                      | G   | H   | I   | J   | K   | L   | M   | ES  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------|-------|-----|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| WOOD LEGS                                                                                                                                                                                                                                     | 601 | 615                                                                  | 629   | 643 | 657 | 671                                    | 685 | 699 | 713 | 727 | 741 | 755 | 769 | 923 |
| SHIPMENT DETAILS                                                                                                                                                                                                                              |     | TECHNICAL SPECIFICATIONS                                             |       |     |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |
| Art.0358<br>1 pz = 2  - kg 10,6/ m³ 0,285<br>4 pz = 2  - kg 35,44/ m³ 0,374 |     | Art.0358<br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |     |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                           |     |                                                                      |       |     |     |                                        |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                             |     |                                                                      |       |     |     |                                        |     |     |     |     |     |     |     |     |

### Frame Base



L0020 L0021 L0022 L0023



### Shell




PO00101 PO00109 PO00112 PO00113 PO00114 PO00115 PO00116 PO00117



## Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with oak timber four-leg base and shell upholstered in fabric, leather, coated fabric or customer's own material. Line detail stitching. Provided with glides suitable for various surfaces.

Accessories:  
Link Art. 0258


|                                                                                                                                                                                                                                           |           |                                                                                                                                                                      |       |       |     |                                    |     |     |     |     |     |     |     |     |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|
| €                                                                                                                                                                                                                                         | ART. 0356 | A                                                                                                                                                                    | B COM | C COL | D   | E                                  | F   | G   | H   | I   | J   | K   | L   | M   | ES   |
| WOOD LEGS                                                                                                                                                                                                                                 |           | 612                                                                                                                                                                  | 641   | 670   | 699 | 728                                | 757 | 786 | 815 | 844 | 873 | 902 | 931 | 960 | 1062 |
| SHIPMENT DETAILS                                                                                                                                                                                                                          |           | TECHNICAL SPECIFICATIONS                                                                                                                                             |       |       |     | RESISTANCE TEST                    |     |     |     |     |     |     |     |     |      |
| Art.0356<br>1 pz = 2  - kg 9,2/ m² 0,271<br>4 pz = 2  - kg 34/ m³ 0,373 |           | Art.0356<br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch |       |       |     | • EN 1022:05<br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                       |           |                                                                                                                                                                      |       |       |     |                                    |     |     |     |     |     |     |     |     |      |
| Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                          |           |                                                                                                                                                                      |       |       |     |                                    |     |     |     |     |     |     |     |     |      |

Frame Base



## Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with oak timber four-leg base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover.

Accessories:  
Link Art. 0258

|                                                                                                                                                                                                                                           |           |                                                                                                                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |     |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|
| €                                                                                                                                                                                                                                         | ART. 0311 | A                                                                                                                                                                     | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M   | ES   |
| WOOD LEGS - Cover                                                                                                                                                                                                                         |           | 617                                                                                                                                                                   | 646   | 675   | 704 | 733                                    | 762 | 791 | 820 | 849 | 878 | 907 | 936 | 965 | 1068 |
| SHIPMENT DETAILS                                                                                                                                                                                                                          |           | TECHNICAL SPECIFICATIONS                                                                                                                                              |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |      |
| Art.0311<br>1 pz = 2  - kg 9,2/ m³ 0,271<br>4 pz = 2  - kg 34/ m³ 0,373 |           | Art.0311<br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                       |           |                                                                                                                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |     |      |
| Classe 11M Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                          |           |                                                                                                                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |     |      |

### Frame Base



L0020 L0021 L0022 L0023



Cover




## Catifa 46

Design by Lievore Altherr Molina, 2012

Chair with oak timber four-leg base and 3D curved plywood shell with a reconstituted oak finish. Provided with glides suitable for different surfaces.

Accessories:  
Link Art. 0258



| € <b>ART. 0359</b>                                                                | WOOD                                                                                                             |                    |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------|
| WOOD LEGS                                                                         | 648                                                                                                              |                    |
| SHIPMENT DETAILS                                                                  | TECHNICAL SPECIFICATIONS                                                                                         | RESISTANCE TEST    |
| <b>Art.0359</b><br>1 pz = 2  - kg 7,1/ m³ 0,247<br>4 pz = 2  - kg 24,82/ m³ 0,329 | <b>Art.0359</b><br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| <b>FIRE RETARDANT TEST</b><br>Classe 1 Omologazione Italia Legno.                 |                                                                                                                  |                    |


Frame Base



L0020 L0021 L0022



Shell




L0020 L0021 L0022



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powdercoated steel sled base and shell in single colour polypropylene or bi-colour polypropylene. Optional glides with felt for wooden floors are available upon request. Steel armrests, also with pad, are available upon request.

Accessories:  
Link Art. 0258  
Stacking protection glide Art. 0286  
Removable cover Art. 0309  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).


- without tools up to 10 units
- with trolley up to 20 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with arms: without tools non stackable.
- with arms: with trolley non stackable.
- with arms with link: without tools non stackable.
- with arms with link: with trolley non stackable.

| € ART. 0278                                                                                                                                      | PO bi-color | PO single-color                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| CHROMED / POWDERCOATED                                                                                                                           | 251         | 227                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                    |
| Armrests BV                                                                                                                                      | + 100       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
| Armrests CV - pad (only for PO)                                                                                                                  | + 31        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
| Hole on shell hole to allow water drainage (only for PO)                                                                                         | + 13        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
| Outdoor powdercoated                                                                                                                             | + 46        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
| Polypropylene fire retardant (only for PO)                                                                                                       | + 33        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) |
| SHIPMENT DETAILS                                                                                                                                 |             | TECHNICAL SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                    |
| <b>Art.0278</b><br>1 pz = 2  - kg 10,4/ m³ 0,243<br>1 pz = 3  - kg 12,7/ m³ 0,273<br>4 pz = 2  - kg 32/ m³ 0,304<br>4 pz = 3  - kg 39,7/ m³ 0,34 |             | <b>Art.0278</b><br>Outdoor: only for PO, V12, V39, V53, V54, V55, V56, V57 Outdoor powdercoated<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch                                                                                                                                                                                                                                                                                              |                                                                    |
|                                                                                                                                                  |             | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
|                                                                                                                                                  |             | <ul style="list-style-type: none"><li>• EN 1728:2012 - EN 16139:2013 6.15</li><li>• EN 1728:2012 - EN 16139:2013 6.17</li><li>• EN 1728:2012 - EN 16139:2013 6.24</li><li>• EN 1728:2012 - EN 16139:2013 6.4</li><li>• EN 1022:05</li></ul> <ul style="list-style-type: none"><li>• EN 1728:2012 - EN 16139:2013 6.16</li><li>• EN 1728:2012 - EN 16139:2013 6.18</li><li>• EN 1728:2012 - EN 16139:2013 6.25</li><li>• EN 1728:2012 - EN 16139:2013 6.5</li><li>• TUV GS (EN16139)</li></ul> |                                                                    |
| FIRE RETARDANT TEST                                                                                                                              |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.                                                                                  |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                    |

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes").

## Armrest



# Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed or powder-coated steel sled base and polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

## Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| € ART. 0452                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | A                                                                    | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PO Bicolors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 341                                                                  | 348   | 355   | 362 | 369                                    | 376 | 383 | 390 | 397 | 404 | 411 | 418 | 425 | 450 |
| PO single-color                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 316                                                                  | 323   | 330   | 337 | 344                                    | 351 | 358 | 365 | 372 | 379 | 386 | 393 | 400 | 424 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | + 100                                                                |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | + 67                                                                 |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | TECHNICAL SPECIFICATIONS                                             |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                      |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Art.0452<br>1 pz = 2  - kg 13,1/ m³ 0,274<br>1 pz = 3  - kg 15,4/ m³ 0,302<br>4 pz = 2  - kg 39,44/ m³ 0,368<br>4 pz = 3  - kg 47,12/ m³ 0,404 | Art.0452<br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                      |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Classe 11M Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                                                                        |                                                                      |       |       |     |                                        |     |     |     |     |     |     |     |     |     |

## Frame Base



## Shell



Available also in one colour version (please check section "Finishes").

## Armrest



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powder-coated steel sled base and polypropylene shell with front upholstery in fabric, leather, coated fabric or customer's own material. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

## Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| € ART. 0468                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | A                                                                           | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 478                                                                         | 492   | 506   | 520 | 534                                    | 548 | 562 | 576 | 590 | 604 | 618 | 632 | 646 | 800 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | + 100                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Armrests CI - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | + 67                                                                        |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | TECHNICAL SPECIFICATIONS                                                    |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |     |
| <b>Art.0468</b><br>1 pz = 2  - kg 13,1/ m³ 0,274<br>1 pz = 3  - kg 15,4/ m³ 0,302<br>4 pz = 2  - kg 39,44/ m³ 0,368<br>4 pz = 3  - kg 47,12/ m³ 0,404 | <b>Art.0468</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |

## Frame Base



## Shell



## Armrest



Stackable  
Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Optional glides with felt for wooden floors are available upon request. Steel armrests, also upholstered, are available upon request.

## Accessories:

Link Art. 0258  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| € ART. 0280                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | A     | B COM                                                                                                                                                                       | C COL | D   | E   | F                                      | G   | H   | I   | J   | K   | L   | M   | ES  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 489   | 518                                                                                                                                                                         | 547   | 576 | 605 | 634                                    | 663 | 692 | 721 | 750 | 779 | 808 | 837 | 939 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | + 100 |                                                                                                                                                                             |       |     |     |                                        |     |     |     |     |     |     |     |     |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | + 67  |                                                                                                                                                                             |       |     |     |                                        |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |                                                                                                                                                                             |       |     |     |                                        |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       | TECHNICAL SPECIFICATIONS                                                                                                                                                    |       |     |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |
| <b>Art.0280</b><br>1 pz = 2  - kg 11,7/ m³ 0,267<br>1 pz = 3  - kg 14/ m³ 0,295<br>4 pz = 2  - kg 38/ m³ 0,36<br>4 pz = 3  - kg 45,7/ m³ 0,396 |       | <b>Art.0280</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |                                                                                                                                                                             |       |     |     |                                        |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |                                                                                                                                                                             |       |     |     |                                        |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Steelcut Trio 3 Kvadrat.                                                                                                                                                                                                                              |       |                                                                                                                                                                             |       |     |     |                                        |     |     |     |     |     |     |     |     |

## Frame Base



## Armrest



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



## Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed or powdercoated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Steel armrests are available upon request.

Accessories:

Link Art. 0258

Stacking protection pad with link Art. 0277

Stacking protection glide Art. 0286

Stacking protection pad Art. 0499

Trolley Art. 0760

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| € ART. 0312                    | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|--------------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED - Cover | 494 | 523   | 552   | 581 | 610 | 639 | 668 | 697 | 726 | 755 | 784 | 813 | 842 | 945 |

|             |       |
|-------------|-------|
| Armrests BV | + 100 |
|-------------|-------|



# Catifa 46

Design by Lievore Altherr Molina, 2013


| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | TECHNICAL SPECIFICATIONS                                                                                                                                                     | RESISTANCE TEST                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| <b>Art.0312</b><br>1 pz = 2  - kg 11,7/ m³ 0,267<br>1 pz = 3  - kg 14/ m³ 0,295<br>4 pz = 2  - kg 38/ m³ 0,36<br>4 pz = 3  - kg 45,7/ m³ 0,396 | <b>Art.0312</b><br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • EN 1022:05<br>• TUV GS (EN16139) |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.

• FIRE RETARDANT VERSION WITH SURCHARGE \* Classe 1IM Omologazione Italia Elmosoft: Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.

## Frame Base



## Armrest



Armrests BV



Cover



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.

arper

## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powder-coated steel sled base and 3D curved plywood shell with a reconstituted oak finish. Glides for wooden floors available upon request. Steel armrests are available upon request.

Accessories:  
Link Art. 0258  
Stacking protection glide Art. 0286  
Trolley Art. 0760

### Stackability:


(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units


- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

| € ART. 0378                                                                                                                                          | WOOD                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CHROMED / POWDERCOATED                                                                                                                               | 525                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Armrests BV                                                                                                                                          | + 100                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| SHIPMENT DETAILS                                                                                                                                     | TECHNICAL SPECIFICATIONS                                                                                         | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Art.0378</b><br>1 pz = 2  - kg 9,88/ m³ 0,243<br>1 pz = 3  - kg 12,18/ m³ 0,271<br>4 pz = 2  - kg 29,9/ m³ 0,316<br>4 pz = 3  - kg 37,6/ m³ 0,352 | <b>Art.0378</b><br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.24</li> <li>• EN 1728:2012 - EN 16139:2013 4.1-4.2</li> <li>• EN 1728:2012 - EN 12520:2015 5.4.2</li> <li>• EN 1022:05</li> </ul> <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.16</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.25</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• TUV GS (EN16139)</li> </ul> |
| FIRE RETARDANT TEST                                                                                                                                  |                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Classe 1 Omologazione Italia Legno.                                                                                                                  |                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### Frame Base



### Shell



### Armrest



Stackable


Standard: polycarbonate glide with polyurethane insert.

Upon request: polycarbonate glide with felt insert.



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base fitted with armrests. The shell is available in single-colour polypropylene or bi-colour polypropylene. Optional glides with felt for wooden floors are available upon request.

## Accessories:

Link Art. 0258  
Writing tablet Art. 0264  
Stacking protection glide Art. 0286  
Removable cover Art. 0309  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- without tools up to 10 units
- with trolley up to 20 units

- CT: with stacking pad, without tools up to 5 units
- CT: with stacking pad, with trolley up to 5 units
- CT with link: with stacking pad, without tools up to 5 units
- CT with link: with stacking pad, with trolley up to 5 units

- with tablet: without tools up to 5 units
- with tablet: with trolley up to 8 units

|                                                                             |                                                                         |                                                                                                           |  |                                 |  |
|-----------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--|---------------------------------|--|
| € ART. 0287                                                                 | PO bi-color                                                             | PO single-color                                                                                           |  |                                 |  |
| CHROMED                                                                     | 310                                                                     | 286                                                                                                       |  |                                 |  |
| Polypropylene fire retardant (only for PO)                                  | + 33 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs) |                                                                                                           |  |                                 |  |
| SHIPMENT DETAILS                                                            |                                                                         | TECHNICAL SPECIFICATIONS                                                                                  |  | RESISTANCE TEST                 |  |
| Art.0287<br>1 pz = 2  - kg 10,62/ m³ 0,297<br>4 pz = 2  - kg 35,7/ m³ 0,392 |                                                                         | Art.0287<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |  | • EN 1022:05 • TUV GS (EN16139) |  |
| FIRE RETARDANT TEST                                                         |                                                                         |                                                                                                           |  |                                 |  |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.             |                                                                         |                                                                                                           |  |                                 |  |

## Frame Base

CRO



## Shell



Available also in one colour version (please check section "Finishes" ).



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



## Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed steel sled base, fitted with armrests. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Link Art. 0258  
Writing tablet Art. 0264  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| € ART. 0454                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PO Bicolors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 400 | 407   | 414   | 421 | 428 | 435 | 442 | 449 | 456 | 463 | 470 | 477 | 484 | 509 |
| PO single-color                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 375 | 382   | 389   | 396 | 403 | 410 | 417 | 424 | 431 | 438 | 445 | 452 | 459 | 483 |
| <div><div>SHIPMENT DETAILS</div><div>Art.0454<br/>1 pz = 2  - kg 13,32/ m³ 0,326<br/>4 pz = 2  - kg 43,12/ m³ 0,456</div></div> <div><div>TECHNICAL SPECIFICATIONS</div><div>Art.0454<br/>COL requirement m² 0.48<br/>H 140 cm. COM Meterage m 0.59</div></div> <div><div>RESISTANCE TEST</div><div>• EN 1022:05</div><div>• TUV GS (EN16139)</div></div> |     |       |       |     |     |     |     |     |     |     |     |     |     |     |
| <div><div>FIRE RETARDANT TEST</div><div>Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.</div></div>                                                                                                                                                                                                                                                                                                                         |     |       |       |     |     |     |     |     |     |     |     |     |     |     |

### Frame Base

CRO



### Shell



Available also in one colour version (please check section "Finishes" ).

PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base, fitted with armrests. Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Link Art. 0258  
Writing tablet Art. 0264  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| € ART. 0470 | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|-------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED     | 537 | 551   | 565   | 579 | 593 | 607 | 621 | 635 | 649 | 663 | 677 | 691 | 705 | 859 |

| SHIPMENT DETAILS                                                                    | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                    |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------|
| <b>Art.0470</b><br>1 pz = 2  - kg 13,32/ m² 0,326<br>4 pz = 2  - kg 43,12/ m² 0,456 | <b>Art.0470</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 | • EN 1022:05<br>• TUV GS (EN16139) |

## FIRE RETARDANT TEST

Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base



CRO



## Shell



PO00101 PO00109 PO00112 PO00113 PO00114 PO00115 PO00116 PO00117



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Optional glides with felt for wooden floors are available upon request.

### Accessories:

Link Art. 0258  
Writing tablet Art. 0264  
Stacking protection pad with link Art. 0277  
Stacking protection pad Art. 0499  
Trolley Art. 0760

### Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| € ART. 0289                                                                                                                                                                                                                                                                    | A   | B COM                                                                                                                                                                | C COL | D   | E   | F                                      | G   | H   | I   | J   | K   | L   | M   | ES  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED                                                                                                                                                                                                                                                                        | 548 | 577                                                                                                                                                                  | 606   | 635 | 664 | 693                                    | 722 | 751 | 780 | 809 | 838 | 867 | 896 | 998 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                               |     | TECHNICAL SPECIFICATIONS                                                                                                                                             |       |     |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |
| Art.0289<br>1 pz = 2  - kg 11,92/ m³ 0,319<br>4 pz = 2  - kg 41,7/ m³ 0,448                              |     | Art.0289<br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                            |     |                                                                                                                                                                      |       |     |     |                                        |     |     |     |     |     |     |     |     |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divino 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat |     |                                                                                                                                                                      |       |     |     |                                        |     |     |     |     |     |     |     |     |


### Frame Base

CRO



# Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with armrests with chromed steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Link Art. 0258  
Writing tablet Art. 0264  
Stacking protection pad with link Art. 0277  
Stacking protection glide Art. 0286  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units

- with tablet: with stacking pad, without tools up to 5 units
- with tablet: with stacking pad, with trolley up to 5 units
- with tablet with link: with stacking pad, without tools up to 5 units
- with tablet with link: with stacking pad, with trolley up to 5 units

| € ART. 0313                                                                                                                                                                                                                                                                  | A   | B COM                                                                                                                                                                                                    | C COL | D   | E   | F                                                     | G   | H   | I   | J   | K   | L   | M   | ES   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|-------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED - Cover                                                                                                                                                                                                                                                              | 553 | 582                                                                                                                                                                                                      | 611   | 640 | 669 | 698                                                   | 727 | 756 | 785 | 814 | 843 | 872 | 901 | 1004 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                             |     | TECHNICAL SPECIFICATIONS                                                                                                                                                                                 |       |     |     | RESISTANCE TEST                                       |     |     |     |     |     |     |     |      |
| <div>Art.0313</div> <div>1 pz = 2  - kg 11,92/ m² 0,319</div> <div>4 pz = 2  - kg 41,7/ m² 0,448</div> |     | <div>Art.0313</div> <div>COL requirement m² 1.97</div> <div>H 140 cm. COM Meterage m 1.08</div> <div>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</div> |       |     |     | <div>• EN 1022:05</div> <div>• TUV GS (EN16139)</div> |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                          |     |                                                                                                                                                                                                          |       |     |     |                                                       |     |     |     |     |     |     |     |      |
| <div>Classe 11M Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.</div> <div>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.</div>                                          |     |                                                                                                                                                                                                          |       |     |     |                                                       |     |     |     |     |     |     |     |      |

## Frame Base

CRO



Cover



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium swivel trestle base. The shell is available in single-colour polypropylene or bi-colour polypropylene. Polypropylene and steel armrests are available upon request.

Accessories:  
Removable cover Art. 0309  
Set of glides Art. 2015

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| €                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ART. 0368 | PO bi-color                                                                                               | PO single-color |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| POLISHED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           | 391                                                                                                       | 367             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           | + 100                                                                                                     |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Armrests CV - pad (only for PO)                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           | + 31                                                                                                      |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Polypropylene fire retardant (only for PO)                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           | + 33 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs)                                   |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |           | TECHNICAL SPECIFICATIONS                                                                                  |                 | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Art.0368<br>1 pz = 2  - kg 10,1/ m² 0,245<br>1 pz = 3  - kg 12,48/ m² 0,274<br>4 pz = 2  - kg 30,4/ m² 0,336<br>4 pz = 3  - kg 38,54/ m² 0,372 |           | Art.0368<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |                 | <ul style="list-style-type: none"><li>• EN 1728:2012 - EN 16139:2013 6.10</li><li>• EN 1728:2012 - EN 16139:2013 6.15</li><li>• EN 1728:2012 - EN 16139:2013 6.17</li><li>• EN 1728:2012 - EN 16139:2013 6.20</li><li>• EN 1728:2012 - EN 16139:2013 6.5</li><li>• TUV GS (EN16139)</li><li>• EN 1728:2012 - EN 16139:2013 6.11</li><li>• EN 1728:2012 - EN 16139:2013 6.16</li><li>• EN 1728:2012 - EN 16139:2013 6.18</li><li>• EN 1728:2012 - EN 16139:2013 6.4</li><li>• EN 1022:05</li><li>• EN 1728:2012 - EN 16139:2013 6.6</li></ul> |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.                                                                                                                                                                                                                                                                                                                                                                                                                            |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

### Frame Base



### Shell




Available also in one colour version (please check section "Finishes").

### Armrest



# Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessories:  
Set of glides Art. 2015

| € ART. 0279                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | A                                                                           | B COM | C COL | D   | E                  | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|-------|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PO Bicolors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 481                                                                         | 488   | 495   | 502 | 509                | 516 | 523 | 530 | 537 | 544 | 551 | 558 | 565 | 590 |
| PO single-color                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 456                                                                         | 463   | 470   | 477 | 484                | 491 | 498 | 505 | 512 | 519 | 526 | 533 | 540 | 564 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | + 100                                                                       |       |       |     |                    |     |     |     |     |     |     |     |     |     |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | + 67                                                                        |       |       |     |                    |     |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | TECHNICAL SPECIFICATIONS                                                    |       |       |     | RESISTANCE TEST    |     |     |     |     |     |     |     |     |     |
| <b>Art.0279</b><br>1 pz = 2  - kg 12,8/ m³ 0,274<br>1 pz = 3  - kg 15,18/ m³ 0,303<br>4 pz = 2  - kg 37,84/ m³ 0,4<br>4 pz = 3  - kg 45,98/ m³ 0,436 | <b>Art.0279</b><br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 |       |       |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                             |       |       |     |                    |     |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                                                                                        |                                                                             |       |       |     |                    |     |     |     |     |     |     |     |     |     |

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes" ).

## Armrest



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminium swivel trestle base. Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessories:  
Set of glides Art. 2015

| € ART. 0370                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | A                                                                           | B COM | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| POLISHED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 618                                                                         | 632   | 646   | 660 | 674 | 688                | 702 | 716 | 730 | 744 | 758 | 772 | 786 | 940 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | + 100                                                                       |       |       |     |     |                    |     |     |     |     |     |     |     |     |
| Armrests CI - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | + 67                                                                        |       |       |     |     |                    |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | TECHNICAL SPECIFICATIONS                                                    |       |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |     |
| <b>Art.0370</b><br>1 pz = 2  - kg 12,8/ m³ 0,274<br>1 pz = 3  - kg 15,18/ m³ 0,303<br>4 pz = 2  - kg 37,84/ m³ 0,4<br>4 pz = 3  - kg 45,98/ m³ 0,436 | <b>Art.0370</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |       |     |     | ● TUV GS (EN16139) |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                             |       |       |     |     |                    |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                             |                                                                             |       |       |     |     |                    |     |     |     |     |     |     |     |     |

## Frame Base



## Shell




## Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium swivel trestle base. The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Steel armrests, also upholstered, are available upon request.

Accessories:  
Set of glides Art. 2015

| € ART. 0375                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | A                                                                                                                                                                           | B COM | C COL | D   | E                  | F   | G   | H   | I   | J   | K   | L   | M   | ES   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|
| POLISHED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 629                                                                                                                                                                         | 658   | 687   | 716 | 745                | 774 | 803 | 832 | 861 | 890 | 919 | 948 | 977 | 1079 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | + 100                                                                                                                                                                       |       |       |     |                    |     |     |     |     |     |     |     |     |      |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | + 67                                                                                                                                                                        |       |       |     |                    |     |     |     |     |     |     |     |     |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                             |       |       |     |                    |     |     |     |     |     |     |     |     |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | TECHNICAL SPECIFICATIONS                                                                                                                                                    |       |       |     | RESISTANCE TEST    |     |     |     |     |     |     |     |     |      |
| <b>Art.0375</b><br>1 pz = 2  - kg 11,4/ m³ 0,267<br>1 pz = 3  - kg 13,78/ m³ 0,296<br>4 pz = 2  - kg 36,4/ m³ 0,392<br>4 pz = 3  - kg 44,54/ m³ 0,428 | <b>Art.0375</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch |       |       |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |     |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                             |       |       |     |                    |     |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                             |       |       |     |                    |     |     |     |     |     |     |     |     |      |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                                                                                                                                                                                                               |                                                                                                                                                                             |       |       |     |                    |     |     |     |     |     |     |     |     |      |

### Frame Base




### Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminium swivel trestle base. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Steel armrests are available upon request.

Accessories:  
Set of glides Art. 2015

| € ART. 0316                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | A                                                                                                                                                                            | B COM | C COL | D   | E                  | F   | G   | H   | I   | J   | K   | L   | M   | ES   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|
| POLISHED / POWDERCOATED - Cover                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 634                                                                                                                                                                          | 663   | 692   | 721 | 750                | 779 | 808 | 837 | 866 | 895 | 924 | 953 | 982 | 1085 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | + 100                                                                                                                                                                        |       |       |     |                    |     |     |     |     |     |     |     |     |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | TECHNICAL SPECIFICATIONS                                                                                                                                                     |       |       |     | RESISTANCE TEST    |     |     |     |     |     |     |     |     |      |
| <b>Art.0316</b><br>1 pz = 2  - kg 11,4/ m³ 0,267<br>1 pz = 3  - kg 13,78/ m³ 0,296<br>4 pz = 2  - kg 36,4/ m³ 0,392<br>4 pz = 3  - kg 44,54/ m³ 0,428 | <b>Art.0316</b><br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |       |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                              |       |       |     |                    |     |     |     |     |     |     |     |     |      |
| Classe 11M Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                                                                                                                                                                                                                                                                           |                                                                                                                                                                              |       |       |     |                    |     |     |     |     |     |     |     |     |      |

### Frame Base



### Armrest



Armrests BV



Cover




# Catifa 46

Design by Lievore Altherr Molina, 2004

Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The shell is available in single-colour polypropylene or bi-colour polypropylene. Polypropylene and steel armrests are available upon request.

Accessories:  
Removable cover Art. 0309



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| €                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ART. 0369 | PO bi-color                                                                                               | PO single-color |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| POLISHED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           | 428                                                                                                       | 404             |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |           | + 100                                                                                                     |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Armrests CV - pad (only for PO)                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           | + 31                                                                                                      |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Polypropylene fire retardant (only for PO)                                                                                                                                                                                                                                                                                                                                                                                                                                               |           | + 33 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs)                                   |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           | TECHNICAL SPECIFICATIONS                                                                                  |                 | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Art.0369<br>1 pz = 2  - kg 10,2/ m³ 0,251<br>1 pz = 3  - kg 12,58/ m³ 0,28<br>4 pz = 2  - kg 30,8/ m³ 0,34<br>4 pz = 3  - kg 38,94/ m³ 0,376 |           | Art.0369<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |                 | <ul style="list-style-type: none"><li>• EN 1728:2012 - EN 16139:2013 6.10</li><li>• EN 1728:2012 - EN 16139:2013 6.15</li><li>• EN 1728:2012 - EN 16139:2013 6.20</li><li>• EN 1728:2012 - EN 16139:2013 6.5</li><li>• TUV GS (EN16139)</li><li>• EN 1728:2012 - EN 16139:2013 6.11</li><li>• EN 1728:2012 - EN 16139:2013 6.16</li><li>• EN 1728:2012 - EN 16139:2013 6.4</li><li>• EN 1022:05</li><li>• EN 1728:2012 - EN 16139:2013 6.6</li></ul> |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.                                                                                                                                                                                                                                                                                                                                                                                                                          |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes" ).

## Armrest



# Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powder-coated aluminium fixed trestle, mounted on self-braking castors (color matching with base). Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| € ART. 0290                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | A                                                                    | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PO Bicolors                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 518                                                                  | 525   | 532   | 539 | 546                                    | 553 | 560 | 567 | 574 | 581 | 588 | 595 | 602 | 627 |
| PO single-color                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 493                                                                  | 500   | 507   | 514 | 521                                    | 528 | 535 | 542 | 549 | 556 | 563 | 570 | 577 | 601 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | + 100                                                                |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | + 67                                                                 |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TECHNICAL SPECIFICATIONS                                             |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                      |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Art.0290<br>1 pz = 2  - kg 12,9/ m² 0,28<br>1 pz = 3  - kg 15,28/ m² 0,309<br>4 pz = 2  - kg 38,24/ m² 0,404<br>4 pz = 3  - kg 46,38/ m² 0,44 | Art.0290<br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                      |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                                                                       |                                                                      |       |       |     |                                        |     |     |     |     |     |     |     |     |     |

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes" ).

## Armrest



# Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminium fixed trestle, mounted on self-braking castors (color matching with base). Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| € ART. 0372                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | A                                                                           | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| POLISHED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 655                                                                         | 669   | 683   | 697 | 711                                    | 725 | 739 | 753 | 767 | 781 | 795 | 809 | 823 | 977 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | + 100                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | TECHNICAL SPECIFICATIONS                                                    |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |     |
| <b>Art.0372</b><br>1 pz = 2  - kg 12,9/ m³ 0,28<br>1 pz = 3  - kg 15,28/ m³ 0,309<br>4 pz = 2  - kg 38,24/ m³ 0,404<br>4 pz = 3  - kg 46,38/ m³ 0,44 | <b>Art.0372</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                             |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |

## Frame Base



## Shell




## Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Steel armrests, also upholstered, are available upon request.

| € ART. 0376                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | A                                                                                                                                                                           | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M    | ES   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|------|------|
| POLISHED / POWDERCOATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 666                                                                                                                                                                         | 695   | 724   | 753 | 782                                    | 811 | 840 | 869 | 898 | 927 | 956 | 985 | 1014 | 1116 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | + 100                                                                                                                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |      |      |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | + 67                                                                                                                                                                        |       |       |     |                                        |     |     |     |     |     |     |     |      |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |      |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | TECHNICAL SPECIFICATIONS                                                                                                                                                    |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |      |      |
| <b>Art.0376</b><br>1 pz = 2  - kg 11,5/ m³ 0,273<br>1 pz = 3  - kg 13,88/ m³ 0,302<br>4 pz = 2  - kg 36,8/ m³ 0,396<br>4 pz = 3  - kg 44,94/ m³ 0,432 | <b>Art.0376</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |      |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |      |      |
| Classe 11M Omologazione Italia Divina MD Kvadrat, Divina Melange 3 Kvadrat, Divina 3 Kvadrat, Field Kvadrat, Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft, Revive 1 Kvadrat, Steelcut Trio 3 Kvadrat.                                                                                                                                                                                                               |                                                                                                                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |      |      |

### Frame Base




### Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors (color matching with base). The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Steel armrests are available upon request.

| € ART. 0317                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | A                                                                                                                                                                                                        | B COM | C COL | D   | E                                                     | F   | G   | H   | I   | J   | K   | L   | M    | ES   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|-------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|------|------|
| POLISHED / POWDERCOATED - Cover                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 671                                                                                                                                                                                                      | 700   | 729   | 758 | 787                                                   | 816 | 845 | 874 | 903 | 932 | 961 | 990 | 1019 | 1122 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | + 100                                                                                                                                                                                                    |       |       |     |                                                       |     |     |     |     |     |     |     |      |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | TECHNICAL SPECIFICATIONS                                                                                                                                                                                 |       |       |     | RESISTANCE TEST                                       |     |     |     |     |     |     |     |      |      |
| <div>Art.0317</div> <div>1 pz = 2  - kg 11,5/ m³ 0,273</div> <div>1 pz = 3  - kg 13,88/ m³ 0,302</div> <div>4 pz = 2  - kg 36,8/ m³ 0,396</div> <div>4 pz = 3  - kg 44,94/ m³ 0,432</div> | <div>Art.0317</div> <div>COL requirement m² 1.97</div> <div>H 140 cm. COM Meterage m 1.08</div> <div>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</div> |       |       |     | <div>• EN 1022:05</div> <div>• TUV GS (EN16139)</div> |     |     |     |     |     |     |     |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                          |       |       |     |                                                       |     |     |     |     |     |     |     |      |      |
| Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                          |       |       |     |                                                       |     |     |     |     |     |     |     |      |      |
| • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                          |       |       |     |                                                       |     |     |     |     |     |     |     |      |      |

### Frame Base



### Armrest



Armrests BV




Cover



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminum five-star swivel trestle base, mounted on self-braking castors (color matching with base) and fitted with gas height adjustment mechanism. The shell is available in single-colour polypropylene or bi-colour polypropylene. Polypropylene and steel armrests, also upholstered, are available upon request.

Accessories:  
Cover Art. 0309

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| €                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ART. 0380 | PO bi-color                                                                                               | PO single-color |                                                                                                                                                                                                                                                                                                                   |
| GAS MECHANISM                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |           | 549                                                                                                       | 525             |                                                                                                                                                                                                                                                                                                                   |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           | + 100                                                                                                     |                 |                                                                                                                                                                                                                                                                                                                   |
| Armrests CV - pad (only for PO)                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           | + 31                                                                                                      |                 |                                                                                                                                                                                                                                                                                                                   |
| Polypropylene fire retardant (only for PO)                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           | + 33 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs)                                   |                 |                                                                                                                                                                                                                                                                                                                   |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |           | TECHNICAL SPECIFICATIONS                                                                                  |                 | RESISTANCE TEST                                                                                                                                                                                                                                                                                                   |
| Art.0380<br>1 pz = 2  - kg 11,6/ m³ 0,304<br>1 pz = 3  - kg 13,98/ m³ 0,333<br>4 pz = 5  - kg 43,6/ m³ 0,968<br>4 pz = 6  - kg 51,76/ m³ 1,004 |           | Art.0380<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |                 | <ul style="list-style-type: none"><li>• EN 1728:2012 - EN 16139:2013 6.17</li><li>• EN 1728:2012 - EN 16139:2013 6.24</li><li>• EN 1728:2012 - EN 16139:2013 6.5</li><li>• TUV GS (EN16139)</li><li>• EN 1728:2012 - EN 16139:2013 6.18</li><li>• EN 1728:2012 - EN 16139:2013 6.4</li><li>• EN 1022:05</li></ul> |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                   |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.                                                                                                                                                                                                                                                                                                                                                                                                                            |           |                                                                                                           |                 |                                                                                                                                                                                                                                                                                                                   |

### Frame Base



### Shell



Available also in one colour version (please check section "Finishes").


PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218

### Armrest



# Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powder-coated aluminum five-star swivel trestle base, mounted on self-braking castors (color matching with base) and fitted with gas height adjustment mechanism. Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| € ART. 0302                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | A                                                                           | B COM | C COL | D   | E                                      | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| GAS MECHANISM PO Bicolor                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 639                                                                         | 646   | 653   | 660 | 667                                    | 674 | 681 | 688 | 695 | 702 | 709 | 716 | 723 | 748 |
| GAS MECHANISM PO single-color                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 614                                                                         | 621   | 628   | 635 | 642                                    | 649 | 656 | 663 | 670 | 677 | 684 | 691 | 698 | 722 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | + 100                                                                       |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | + 67                                                                        |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | TECHNICAL SPECIFICATIONS                                                    |       |       |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |     |     |
| <b>Art.0302</b><br>1 pz = 2  - kg 14,3/ m³ 0,36<br>1 pz = 3  - kg 16,68/ m³ 0,362<br>4 pz = 5  - kg 51,04/ m³ 1,104<br>4 pz = 6  - kg 60,56/ m³ 1,143 | <b>Art.0302</b><br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                                                                               |                                                                             |       |       |     |                                        |     |     |     |     |     |     |     |     |     |

## Frame Base



## Shell



Available also in one colour version (please check section "Finishes" ).


PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218

## Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powder-coated aluminum five-star swivel trestle base, mounted on self-braking castors (color matching with base) and fitted with gas height adjustment mechanism. Polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

| € ART. 0384                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | A                                                                           | B COM | C COL | D   | E   | F                                      | G   | H   | I   | J   | K   | L   | M   | ES   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|-------|-----|-----|----------------------------------------|-----|-----|-----|-----|-----|-----|-----|------|
| GAS MECHANISM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 776                                                                         | 790   | 804   | 818 | 832 | 846                                    | 860 | 874 | 888 | 902 | 916 | 930 | 944 | 1098 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | + 100                                                                       |       |       |     |     |                                        |     |     |     |     |     |     |     |      |
| Armrests CI - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | + 67                                                                        |       |       |     |     |                                        |     |     |     |     |     |     |     |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | TECHNICAL SPECIFICATIONS                                                    |       |       |     |     | RESISTANCE TEST                        |     |     |     |     |     |     |     |      |
| <b>Art.0384</b><br>1 pz = 2  - kg 14,3/ m³ 0,333<br>1 pz = 3  - kg 16,68/ m³ 0,362<br>4 pz = 5  - kg 51,04/ m³ 1,032<br>4 pz = 6  - kg 60,56/ m³ 1,068 | <b>Art.0384</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |       |     |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                             |       |       |     |     |                                        |     |     |     |     |     |     |     |      |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                                                                                                                                                                                                                               |                                                                             |       |       |     |     |                                        |     |     |     |     |     |     |     |      |

### Frame Base



### Shell




### Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminum five-star swivel trestle base, mounted on self-braking castors (color matching with base) and fitted with gas height adjustment mechanism. The shell is upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Steel armrests, also upholstered, are available upon request.

| € ART. 0382                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | A                                                                                                                                                                           | B COM | C COL | D   | E                                      | F   | G   | H   | I    | J    | K    | L    | M    | ES   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|----------------------------------------|-----|-----|-----|------|------|------|------|------|------|
| GAS MECHANISM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 787                                                                                                                                                                         | 816   | 845   | 874 | 903                                    | 932 | 961 | 990 | 1019 | 1048 | 1077 | 1106 | 1135 | 1237 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | + 100                                                                                                                                                                       |       |       |     |                                        |     |     |     |      |      |      |      |      |      |
| Armrests Cl - only pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | + 67                                                                                                                                                                        |       |       |     |                                        |     |     |     |      |      |      |      |      |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                             |       |       |     |                                        |     |     |     |      |      |      |      |      |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | TECHNICAL SPECIFICATIONS                                                                                                                                                    |       |       |     | RESISTANCE TEST                        |     |     |     |      |      |      |      |      |      |
| <b>Art.0382</b><br>1 pz = 2  - kg 12,9/ m³ 0,326<br>1 pz = 3  - kg 15,28/ m³ 0,355<br>4 pz = 5  - kg 49,6/ m³ 1,004<br>4 pz = 6  - kg 57,76/ m³ 1,06 | <b>Art.0382</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch |       |       |     | • EN 1022:05<br><br>• TUV GS (EN16139) |     |     |     |      |      |      |      |      |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                             |       |       |     |                                        |     |     |     |      |      |      |      |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                             |       |       |     |                                        |     |     |     |      |      |      |      |      |      |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                                                                                                                                                                                                              |                                                                                                                                                                             |       |       |     |                                        |     |     |     |      |      |      |      |      |      |

### Frame Base




### Armrest



## Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powder-coated aluminum five-star swivel trestle base, mounted on self-braking castors (color matching with base) and fitted with gas height adjustment mechanism. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Steel armrests are available upon request.

| € ART. 0319                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | A                                                                                                                                                                                                        | B COM | C COL | D   | E   | F                                                     | G   | H   | I    | J    | K    | L    | M    | ES   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-----|-----|-------------------------------------------------------|-----|-----|------|------|------|------|------|------|
| GAS MECHANISM - Cover                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 792                                                                                                                                                                                                      | 821   | 850   | 879 | 908 | 937                                                   | 966 | 995 | 1024 | 1053 | 1082 | 1111 | 1140 | 1243 |
| Armrests BV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | + 100                                                                                                                                                                                                    |       |       |     |     |                                                       |     |     |      |      |      |      |      |      |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | TECHNICAL SPECIFICATIONS                                                                                                                                                                                 |       |       |     |     | RESISTANCE TEST                                       |     |     |      |      |      |      |      |      |
| <div>Art.0319</div> <div>1 pz = 2  - kg 12,9/ m³ 0,326</div> <div>1 pz = 3  - kg 15,28/ m³ 0,355</div> <div>4 pz = 5  - kg 49,6/ m³ 1,004</div> <div>4 pz = 6  - kg 57,76/ m³ 1,06</div> | <div>Art.0319</div> <div>COL requirement m² 1.97</div> <div>H 140 cm. COM Meterage m 1.08</div> <div>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</div> |       |       |     |     | <div>• EN 1022:05</div> <div>• TUV GS (EN16139)</div> |     |     |      |      |      |      |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                          |       |       |     |     |                                                       |     |     |      |      |      |      |      |      |
| <div>Classe 11M Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.</div> <div>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.</div>                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                          |       |       |     |     |                                                       |     |     |      |      |      |      |      |      |

### Frame Base



### Armrest



Armrests BV




Cover



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell in single-colour polypropylene or bi-colour polypropylene. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Removable cover Art. 0309  
Trolley Art. 0760

Stackability:  
(should the weight exceed 25 kilos a handling tool must be used).  
– without tools up to 10 units  
– with trolley up to 10 units

|                                                                                                                                                                                                                                                 |           |                                                                                                                                                                  |                 |                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
| €                                                                                                                                                                                                                                               | ART. 0474 | PO bi-color                                                                                                                                                      | PO single-color |                    |
| CHROMED / POWDERCOATED                                                                                                                                                                                                                          |           | 317                                                                                                                                                              | 293             |                    |
| Hole on shell hole to allow water drainage (only for PO)                                                                                                                                                                                        |           | + 13                                                                                                                                                             |                 |                    |
| Outdoor powdercoated                                                                                                                                                                                                                            |           | + 56                                                                                                                                                             |                 |                    |
| Polypropylene fire retardant (only for PO)                                                                                                                                                                                                      |           | + 33 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs)                                                                                          |                 |                    |
| SHIPMENT DETAILS                                                                                                                                                                                                                                |           | TECHNICAL SPECIFICATIONS                                                                                                                                         |                 | RESISTANCE TEST    |
| Art.0474<br>1 pz = 2  - kg 11,3/ m³ 0,316<br>4 pz = 2  - kg 37,6/ m³ 0,396 |           | Art.0474<br>Outdoor: only for PO, V12, V39 Outdoor powdercoated<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |                 | • TUV GS (EN16139) |
| FIRE RETARDANT TEST                                                                                                                                                                                                                             |           |                                                                                                                                                                  |                 |                    |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.                                                                                                                                                                                 |           |                                                                                                                                                                  |                 |                    |

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes" ).



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell in single-colour polypropylene or bi-colour polypropylene. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Removable cover Art. 0309  
Trolley Art. 0760

Stackability:  
(should the weight exceed 25 kilos a handling tool must be used).  
– without tools up to 10 units  
– with trolley up to 10 units

|                                                          |                           |                               |  |
|----------------------------------------------------------|---------------------------|-------------------------------|--|
| € <b>ART. 0471</b>                                       | <b>PO</b><br>bi-<br>color | <b>PO</b><br>single-<br>color |  |
| CHROMED / POWDERCOATED                                   | 317                       | 293                           |  |
| Hole on shell hole to allow water drainage (only for PO) | +    13                   |                               |  |
| Outdoor powdercoated                                     | +    56                   |                               |  |
| Polypropylene fire retardant (only for PO)               | +    33                   |                               |  |

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes" ).



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2012



Stool with chromed or powder-coated steel sled base and Polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| € ART. 0304     | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|-----------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PO Bicolors     | 407 | 414   | 421   | 428 | 435 | 442 | 449 | 456 | 463 | 470 | 477 | 484 | 491 | 516 |
| PO single-color | 382 | 389   | 396   | 403 | 410 | 417 | 424 | 431 | 438 | 445 | 452 | 459 | 466 | 490 |

| SHIPMENT DETAILS                                                                | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST    |
|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------|
| <b>Art.0304</b><br>1 pz = 2  - kg 14/ m³ 0,345<br>4 pz = 2  - kg 45,04/ m³ 0,46 | <b>Art.0304</b><br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base



## Shell



Available also in one colour version (please check section "Finishes" ).



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2012



Stool with chromed or powder-coated steel sled base and polypropylene shell with cushion upholstered in fabric, leather, coated fabric or customer's own material. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| € ART. 0305     | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|-----------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PO Bicolors     | 407 | 414   | 421   | 428 | 435 | 442 | 449 | 456 | 463 | 470 | 477 | 484 | 491 | 516 |
| PO single-color | 382 | 389   | 396   | 403 | 410 | 417 | 424 | 431 | 438 | 445 | 452 | 459 | 466 | 490 |

| SHIPMENT DETAILS                                                                   | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST    |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------|
| <b>Art.0305</b><br>1 pz = 2  - kg 14,4/ m³ 0,378<br>4 pz = 2  - kg 46,44/ m³ 0,496 | <b>Art.0305</b><br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 | • TUV GS (EN16139) |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base



## Shell




Available also in one colour version (please check section "Finishes" ).



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and polypropylene shell with front upholstery in leather, coated fabric, fabric or customer's own material. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| € ART. 0477            | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED | 544 | 558   | 572   | 586 | 600 | 614 | 628 | 642 | 656 | 670 | 684 | 698 | 712 | 866 |

| SHIPMENT DETAILS                                                                | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST    |
|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------|
| <b>Art.0477</b><br>1 pz = 2  - kg 14/ m³ 0,345<br>4 pz = 2  - kg 45,04/ m³ 0,46 | <b>Art.0477</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 | • TUV GS (EN16139) |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base



## Shell



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and polypropylene shell front upholstery in leather, coated fabric, fabric or customer's own materials. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| € ART. 0478            | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHROMED / POWDERCOATED | 544 | 558   | 572   | 586 | 600 | 614 | 628 | 642 | 656 | 670 | 684 | 698 | 712 | 866 |

| SHIPMENT DETAILS                                                                   | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST    |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------|
| <b>Art.0478</b><br>1 pz = 2  - kg 14,4/ m³ 0,378<br>4 pz = 2  - kg 46,44/ m³ 0,496 | <b>Art.0478</b><br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 | • TUV GS (EN16139) |

## FIRE RETARDANT TEST

Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.

## Frame Base




## Shell



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units


| € ART. 0476                                                                                                                                                                                                                                                                                        | A   | B COM                                                                                                                                                                                                   | C COL | D   | E   | F                             | G   | H   | I   | J   | K   | L   | M   | ES   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|-------------------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED / POWDERCOATED                                                                                                                                                                                                                                                                             | 555 | 584                                                                                                                                                                                                     | 613   | 642 | 671 | 700                           | 729 | 758 | 787 | 816 | 845 | 874 | 903 | 1005 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                   |     | TECHNICAL SPECIFICATIONS                                                                                                                                                                                |       |     |     | RESISTANCE TEST               |     |     |     |     |     |     |     |      |
| <div>Art.0476</div> <div>1 pz = 2  - kg 12,6/ m³ 0,338</div> <div>4 pz = 2  - kg 43,6/ m³ 0,532</div>                            |     | <div>Art.0476</div> <div>COL requirement m² 1,67</div> <div>H 140 cm. COM Meterage m 1,1</div> <div>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</div> |       |     |     | <div>• TUV GS (EN16139)</div> |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                |     |                                                                                                                                                                                                         |       |     |     |                               |     |     |     |     |     |     |     |      |
| <div>Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.</div> <div>• FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.</div> |     |                                                                                                                                                                                                         |       |     |     |                               |     |     |     |     |     |     |     |      |

## Frame Base



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

Stackability:  
(should the weight exceed 25 kilos a handling tool must be used).  
– with stacking pad, without tools up to 8 units  
– with stacking pad, with trolley up to 8 units

– leather / coated fabric: with stacking pad, without tools up to 5 units  
– leather / coated fabric: with stacking pad, with trolley up to 5 units


| € ART. 0473                                                                                                                                                                                                                                                                     | A   | B COM                                                                                                                                                                | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED / POWDERCOATED                                                                                                                                                                                                                                                          | 555 | 584                                                                                                                                                                  | 613   | 642 | 671 | 700                | 729 | 758 | 787 | 816 | 845 | 874 | 903 | 1005 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                |     | TECHNICAL SPECIFICATIONS                                                                                                                                             |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |      |
| Art.0473<br>1 pz = 2  - kg 13/ m³ 0,371<br>4 pz = 2  - kg 45/ m³ 0,488                                        |     | Art.0473<br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                             |     |                                                                                                                                                                      |       |     |     |                    |     |     |     |     |     |     |     |      |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |     |                                                                                                                                                                      |       |     |     |                    |     |     |     |     |     |     |     |      |

## Frame Base



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2013



Stool with chromed or powder-coated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Seat height 64 cm.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units

| € ART. 0320                                                                                                                                                                                                                                  | A   | B COM                                                                                                                                                                 | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED / POWDERCOATED - Cover                                                                                                                                                                                                               | 560 | 589                                                                                                                                                                   | 618   | 647 | 676 | 705                | 734 | 763 | 792 | 821 | 850 | 879 | 908 | 1011 |
| SHIPMENT DETAILS                                                                                                                                                                                                                             |     | TECHNICAL SPECIFICATIONS                                                                                                                                              |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |      |
| Art.0320<br>1 pz = 2  - kg 12,6/ m³ 0,338<br>4 pz = 2  - kg 43,6/ m³ 0,532 |     | Art.0320<br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                          |     |                                                                                                                                                                       |       |     |     |                    |     |     |     |     |     |     |     |      |
| Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                             |     |                                                                                                                                                                       |       |     |     |                    |     |     |     |     |     |     |     |      |

## Frame Base



Cover



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2013



Stool with chromed or powder-coated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Optional glides with felt for wooden floors are available upon request. Seat height 76 cm.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

Stackability:  
(should the weight exceed 25 kilos a handling tool must be used).  
– with stacking pad, without tools up to 8 units  
– with stacking pad, with trolley up to 8 units

– leather / coated fabric: with stacking pad, without tools up to 5 units  
– leather / coated fabric: with stacking pad, with trolley up to 5 units

| € ART. 0321                                                                                                                                                                                                                              | A   | B COM                                                                                                                                                                 | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED / POWDERCOATED - Cover                                                                                                                                                                                                           | 560 | 589                                                                                                                                                                   | 618   | 647 | 676 | 705                | 734 | 763 | 792 | 821 | 850 | 879 | 908 | 1011 |
| SHIPMENT DETAILS                                                                                                                                                                                                                         |     | TECHNICAL SPECIFICATIONS                                                                                                                                              |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |      |
| Art.0321<br>1 pz = 2  - kg 13/ m³ 0,371<br>4 pz = 2  - kg 45/ m³ 0,488 |     | Art.0321<br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                      |     |                                                                                                                                                                       |       |     |     |                    |     |     |     |     |     |     |     |      |
| Classe 11M Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                         |     |                                                                                                                                                                       |       |     |     |                    |     |     |     |     |     |     |     |      |

## Frame Base



Cover



Stackable



Standard: polycarbonate glide with polyurethane insert.




Upon request: polycarbonate glide with felt insert.



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 65 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units


| € ART. 0486                                                                                                                                                                                                                                                                     | A   | B COM                                                                                                                                                                        | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED / POWDERCOATED                                                                                                                                                                                                                                                          | 554 | 583                                                                                                                                                                          | 612   | 641 | 670 | 699                | 728 | 757 | 786 | 815 | 844 | 873 | 902 | 1005 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                |     | TECHNICAL SPECIFICATIONS                                                                                                                                                     |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |      |
| <b>Art.0486</b><br>1 pz = 2  - kg 11,8/ m³ 0,305<br>4 pz = 2  - kg 40,1/ m³ 0,412                             |     | <b>Art.0486</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 0.99<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                             |     |                                                                                                                                                                              |       |     |     |                    |     |     |     |     |     |     |     |      |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |     |                                                                                                                                                                              |       |     |     |                    |     |     |     |     |     |     |     |      |

## Frame Base



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powdercoated steel sled base and shell upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection pad Art. 0499  
Trolley Art. 0760

## Stackability:

(should the weight exceed 25 kilos a handling tool must be used).

- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units

- leather / coated fabric: with stacking pad, without tools up to 5 units
- leather / coated fabric: with stacking pad, with trolley up to 5 units


| € ART. 0483                                                                                                                                                                                                                                                                     | A   | B COM                                                                                                                                                                        | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|------|
| CHROMED / POWDERCOATED                                                                                                                                                                                                                                                          | 554 | 583                                                                                                                                                                          | 612   | 641 | 670 | 699                | 728 | 757 | 786 | 815 | 844 | 873 | 902 | 1005 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                |     | TECHNICAL SPECIFICATIONS                                                                                                                                                     |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |      |
| <b>Art.0483</b><br>1 pz = 2  - kg 12,2/ m³ 0,338<br>4 pz = 2  - kg 41,5/ m³ 0,448                             |     | <b>Art.0483</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 0.99<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                             |     |                                                                                                                                                                              |       |     |     |                    |     |     |     |     |     |     |     |      |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |     |                                                                                                                                                                              |       |     |     |                    |     |     |     |     |     |     |     |      |

## Frame Base



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and 3D curved plywood shell with a reconstituted oak finish. Seat height 64 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection glide Art. 0286  
Trolley Art. 0760


Stackability:  
(should the weight exceed 25 kilos a handling tool must be used).  
– with stacking pad, without tools up to 10 units  
– with stacking pad, with trolley up to 10 units

| € <b>ART. 0572</b>                                                                 | WOOD                                                                                                             |                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------|
| CHROMED / POWDERCOATED                                                             | 591                                                                                                              |                    |
| SHIPMENT DETAILS                                                                   | TECHNICAL SPECIFICATIONS                                                                                         | RESISTANCE TEST    |
| <b>Art.0572</b><br>1 pz = 2  - kg 10,5/ m³ 0,314<br>4 pz = 2  - kg 34,42/ m³ 0,408 | <b>Art.0572</b><br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| FIRE RETARDANT TEST                                                                |                                                                                                                  |                    |
| Classe 1 Omologazione Italia Legno.                                                |                                                                                                                  |                    |

## Frame Base




## Shell



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



Stool with chromed or powder-coated steel sled base and 3D curved plywood shell with a reconstituted oak finish. Seat height 76 cm. Optional glides with felt for wooden floors are available upon request.

Accessories:  
Stacking protection glide Art. 0286  
Trolley Art. 0760


Stackability:  
(should the weight exceed 25 kilos a handling tool must be used).  
– with stacking pad, without tools up to 10 units  
– with stacking pad, with trolley up to 10 units

| € ART. 0571                                                                        | WOOD                                                                                                             |                                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------|
| CHROMED / POWDERCOATED                                                             | 591                                                                                                              |                                    |
| SHIPMENT DETAILS                                                                   | TECHNICAL SPECIFICATIONS                                                                                         | RESISTANCE TEST                    |
| <b>Art.0571</b><br>1 pz = 2  - kg 10,9/ m³ 0,347<br>4 pz = 2  - kg 35,82/ m³ 0,444 | <b>Art.0571</b><br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • EN 1022:05<br>• TUV GS (EN16139) |
| FIRE RETARDANT TEST                                                                |                                                                                                                  |                                    |
| Classe 1 Omologazione Italia Legno.                                                |                                                                                                                  |                                    |

## Frame Base




## Shell



## Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with high backrest is in single-colour polypropylene or bi-colour polypropylene. Seat height 65 cm. Backrest height 100 cm.

Accessories:  
Removable cover Art. 0309  
Set of glides Art. 2015

|                                            |             |                 |  |
|--------------------------------------------|-------------|-----------------|--|
| € <b>ART. 0488</b>                         | PO bi-color | PO single-color |  |
| SWIVEL BASE                                | 520         | 496             |  |
| Polypropylene fire retardant (only for PO) | +    33     |                 |  |

Frame Base



CRO



Shell




PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218

Available also in one colour version (please check section "Finishes" ).



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. The shell with high backrest is in single-colour polypropylene or bi-colour polypropylene. Seat height 73 cm. Backrest height 108 cm.

Accessories:  
Removable cover Art. 0309  
Set of glides Art. 2015

|                                                                                                                                                                                                                                                                           |           |                                                                                                                              |                 |                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| €                                                                                                                                                                                                                                                                         | ART. 0487 | PO bi-color                                                                                                                  | PO single-color |                                                                                                                                                                                                                                                                                                                                                                                               |
| SWIVEL BASE                                                                                                                                                                                                                                                               |           | 520                                                                                                                          | 496             |                                                                                                                                                                                                                                                                                                                                                                                               |
| Polypropylene fire retardant (only for PO)                                                                                                                                                                                                                                |           | + 33 (For finishes: PO00101/109/112; for other colors qty min. 300 pcs)                                                      |                 |                                                                                                                                                                                                                                                                                                                                                                                               |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                          |           | TECHNICAL SPECIFICATIONS                                                                                                     |                 | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                               |
| <div>Art.0487</div> <div>1 pz = 2  - kg 13,46/ m³ 0,402</div> <div>4 pz = 5  - kg 51,04/ m³ 1,081</div> |           | <div>Art.0487</div> <div>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch</div> |                 | <div><div><div>• EN 1728:2012 - EN 16139:2013 6.17</div><div>• EN 1728:2012 - EN 16139:2013 6.21</div><div>• EN 1728:2012 - EN 16139:2013 6.4</div><div>• EN 1728:2012 - EN 16139:2013 6.8</div></div><div><div>• EN 1728:2012 - EN 16139:2013 6.18</div><div>• EN 1728:2012 - EN 16139:2013 6.24</div><div>• EN 1728:2012 - EN 16139:2013 6.5</div><div>• TUV GS (EN16139)</div></div></div> |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                       |           |                                                                                                                              |                 |                                                                                                                                                                                                                                                                                                                                                                                               |
| Classe 1 Omologazione Italia Polipropilene. • M2 Polipropilene.                                                                                                                                                                                                           |           |                                                                                                                              |                 |                                                                                                                                                                                                                                                                                                                                                                                               |

Frame Base



CRO



Shell




PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218

Available also in one colour version (please check section "Finishes" ).



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2012



Low stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene with cushion upholstered in fabric, leather, coated fabric or customer's own material. Seat height 65 cm. Backrest height 100 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0306                 | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J   | K   | L   | M   | ES  |
|-----------------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| SWIVEL BASE PO Bicolors     | 610 | 617   | 624   | 631 | 638 | 645 | 652 | 659 | 666 | 673 | 680 | 687 | 694 | 719 |
| SWIVEL BASE PO single-color | 585 | 592   | 599   | 606 | 613 | 620 | 627 | 634 | 641 | 648 | 655 | 662 | 669 | 693 |

| SHIPMENT DETAILS                                                                                                                                                                                                                                      | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------|
| <b>Art.0306</b><br>1 pz = 2  - kg 15,96/ m³ 0,268<br>4 pz = 5  - kg 57,68/ m³ 0,772 | <b>Art.0306</b><br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 | <ul style="list-style-type: none"><li>TUV GS (EN16139)</li></ul> |

| FIRE RETARDANT TEST                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling. |

Frame Base



CRO



Shell




PO00205 PO00209 PO00212 PO00213 PO00214 PO00217 PO00218

Available also in one colour version (please check section "Finishes").



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2012



High stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene with cushion upholstered in fabric, leather, coated fabric or customer's own material. Seat height 73 cm. Backrest height 108 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0307                                                                                                                                                                                                                                    | A   | B COM                                                                | C COL | D   | E   | F                                                                                                                                                                                                                                                                                                                                                                   | G   | H   | I   | J   | K   | L   | M   | ES  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------|-------|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| SWIVEL BASE PO Bicolors                                                                                                                                                                                                                        | 610 | 617                                                                  | 624   | 631 | 638 | 645                                                                                                                                                                                                                                                                                                                                                                 | 652 | 659 | 666 | 673 | 680 | 687 | 694 | 719 |
| SWIVEL BASE PO single-color                                                                                                                                                                                                                    | 585 | 592                                                                  | 599   | 606 | 613 | 620                                                                                                                                                                                                                                                                                                                                                                 | 627 | 634 | 641 | 648 | 655 | 662 | 669 | 693 |
| SHIPMENT DETAILS                                                                                                                                                                                                                               |     | TECHNICAL SPECIFICATIONS                                             |       |     |     | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                     |     |     |     |     |     |     |     |     |
| Art.0307<br>1 pz = 2  - kg 16,16/ m³ 0,328<br>4 pz = 5  - kg 58,48/ m³ 1,012 |     | Art.0307<br>COL requirement m² 0.48<br>H 140 cm. COM Meterage m 0.59 |       |     |     | <div>• EN 1728:2012 - EN 16139:2013 6.17</div> <div>• EN 1728:2012 - EN 16139:2013 6.21</div> <div>• EN 1728:2012 - EN 16139:2013 6.4</div> <div>• EN 1728:2012 - EN 16139:2013 6.8</div> <div>• EN 1728:2012 - EN 16139:2013 6.18</div> <div>• EN 1728:2012 - EN 16139:2013 6.24</div> <div>• EN 1728:2012 - EN 16139:2013 6.5</div> <div>• TUV GS (EN16139)</div> |     |     |     |     |     |     |     |     |
| FIRE RETARDANT TEST                                                                                                                                                                                                                            |     |                                                                      |       |     |     |                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |     |     |     |     |     |
| Classe 1IM Omologazione Italia Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                                                                                            |     |                                                                      |       |     |     |                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |     |     |     |     |     |

Frame Base



Shell




Available also in one colour version (please check section "Finishes" ).



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. Polypropylene shell with high backrest and front upholstery in leather, coated fabric, fabric or customer's own material. Seat height 65 cm. Backrest height 100 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0498                                                                                                                                                                                                                                    | A   | B COM                                                                | C COL | D   | E   | F                  | G   | H   | I   | J   | K   | L   | M   | ES   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------|-------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|------|
| SWIVEL BASE                                                                                                                                                                                                                                    | 747 | 761                                                                  | 775   | 789 | 803 | 817                | 831 | 845 | 859 | 873 | 887 | 901 | 915 | 1069 |
| SHIPMENT DETAILS                                                                                                                                                                                                                               |     | TECHNICAL SPECIFICATIONS                                             |       |     |     | RESISTANCE TEST    |     |     |     |     |     |     |     |      |
| Art.0498<br>1 pz = 2  - kg 15,96/ m³ 0,268<br>4 pz = 5  - kg 57,68/ m³ 0,772 |     | Art.0498<br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |     |     | • TUV GS (EN16139) |     |     |     |     |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                            |     |                                                                      |       |     |     |                    |     |     |     |     |     |     |     |      |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                             |     |                                                                      |       |     |     |                    |     |     |     |     |     |     |     |      |

Frame Base




Shell



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. Polypropylene shell with high backrest and front upholstery in leather, coated fabric, fabric or customer's own material. Seat height 73 cm. Backrest height 108 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0497                                                                                                                                                                                                                                    | A   | B COM                                                                | C COL | D   | E   | F                                                                                                                                                      | G   | H   | I   | J                                                                                                                                      | K   | L   | M   | ES   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------|-------|-----|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------|
| SWIVEL BASE                                                                                                                                                                                                                                    | 747 | 761                                                                  | 775   | 789 | 803 | 817                                                                                                                                                    | 831 | 845 | 859 | 873                                                                                                                                    | 887 | 901 | 915 | 1069 |
| SHIPMENT DETAILS                                                                                                                                                                                                                               |     | TECHNICAL SPECIFICATIONS                                             |       |     |     | RESISTANCE TEST                                                                                                                                        |     |     |     |                                                                                                                                        |     |     |     |      |
| Art.0497<br>1 pz = 2  - kg 16,16/ m³ 0,328<br>4 pz = 5  - kg 58,48/ m³ 1,012 |     | Art.0497<br>COL requirement m² 0.94<br>H 140 cm. COM Meterage m 0.65 |       |     |     | • EN 1728:2012 - EN 16139:2013 6.17<br>• EN 1728:2012 - EN 16139:2013 6.21<br>• EN 1728:2012 - EN 16139:2013 6.4<br>• EN 1728:2012 - EN 16139:2013 6.8 |     |     |     | • EN 1728:2012 - EN 16139:2013 6.18<br>• EN 1728:2012 - EN 16139:2013 6.24<br>• EN 1728:2012 - EN 16139:2013 6.5<br>• TUV GS (EN16139) |     |     |     |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                            |     |                                                                      |       |     |     |                                                                                                                                                        |     |     |     |                                                                                                                                        |     |     |     |      |
| Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Elmosoft. Field Kvadrat. Hallingdal 65 Kvadrat. Revive 1 Kvadrat. Remix 3 Kvadrat. Coated fabric Valencia Spradling.                             |     |                                                                      |       |     |     |                                                                                                                                                        |     |     |     |                                                                                                                                        |     |     |     |      |

Frame Base




Shell



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 65 cm. Backrest height 100 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0494                                                                                                                                                                                                                                                                                        | A   | B COM                                                                                                                                                                                                   | C COL | D   | E   | F                             | G   | H   | I   | J    | K    | L    | M    | ES   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|-------------------------------|-----|-----|-----|------|------|------|------|------|
| SWIVEL BASE                                                                                                                                                                                                                                                                                        | 758 | 787                                                                                                                                                                                                     | 816   | 845 | 874 | 903                           | 932 | 961 | 990 | 1019 | 1048 | 1077 | 1106 | 1208 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                   |     | TECHNICAL SPECIFICATIONS                                                                                                                                                                                |       |     |     | RESISTANCE TEST               |     |     |     |      |      |      |      |      |
| <div>Art.0494</div> <div>1 pz = 2  - kg 14,56/ m³ 0,261</div> <div>4 pz = 5  - kg 56,24/ m³ 0,764</div>                          |     | <div>Art.0494</div> <div>COL requirement m² 1.67</div> <div>H 140 cm. COM Meterage m 1.1</div> <div>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</div> |       |     |     | <div>• TUV GS (EN16139)</div> |     |     |     |      |      |      |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                |     |                                                                                                                                                                                                         |       |     |     |                               |     |     |     |      |      |      |      |      |
| <div>Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.</div> <div>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.</div> |     |                                                                                                                                                                                                         |       |     |     |                               |     |     |     |      |      |      |      |      |

Frame Base


CRO



arper

# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 73 cm. Backrest height 108 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0493                                                                                                                                                                                                                                                                     | A   | B COM                                                                                                                                                                       | C COL | D   | E   | F                                                                                                                                                                                                                                                                                                                                                                                   | G   | H   | I   | J    | K    | L    | M    | ES   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------|------|------|------|------|
| SWIVEL BASE                                                                                                                                                                                                                                                                     | 758 | 787                                                                                                                                                                         | 816   | 845 | 874 | 903                                                                                                                                                                                                                                                                                                                                                                                 | 932 | 961 | 990 | 1019 | 1048 | 1077 | 1106 | 1208 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                |     | TECHNICAL SPECIFICATIONS                                                                                                                                                    |       |     |     | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |      |      |      |      |      |
| <b>Art.0493</b><br>1 pz = 2  - kg 14,76/ m³ 0,321<br>4 pz = 5  - kg 57,04/ m³ 1,004                           |     | <b>Art.0493</b><br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 1.1<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | <ul style="list-style-type: none"><li>• EN 1728:2012 - EN 16139:2013 6.17</li><li>• EN 1728:2012 - EN 16139:2013 6.21</li><li>• EN 1728:2012 - EN 16139:2013 6.4</li><li>• EN 1728:2012 - EN 16139:2013 6.8</li><li>• EN 1728:2012 - EN 16139:2013 6.18</li><li>• EN 1728:2012 - EN 16139:2013 6.24</li><li>• EN 1728:2012 - EN 16139:2013 6.5</li><li>• TUV GS (EN16139)</li></ul> |     |     |     |      |      |      |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                             |     |                                                                                                                                                                             |       |     |     |                                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |      |      |      |      |      |
| Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |     |                                                                                                                                                                             |       |     |     |                                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |      |      |      |      |      |


Frame Base

CRO



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2013



Low stool on swivelling, chromed steel base. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Seat height 65 cm. Backrest height 100 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0322         | A   | B COM | C COL | D   | E   | F   | G   | H   | I   | J    | K    | L    | M    | ES   |
|---------------------|-----|-------|-------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|
| SWIVEL BASE - Cover | 763 | 792   | 821   | 850 | 879 | 908 | 937 | 966 | 995 | 1024 | 1053 | 1082 | 1111 | 1214 |
|                     |     |       |       |     |     |     |     |     |     |      |      |      |      |      |
|                     |     |       |       |     |     |     |     |     |     |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                                                                                                                               | TECHNICAL SPECIFICATIONS                                                                                                                                                     | RESISTANCE TEST    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| <b>Art.0322</b><br>1 pz = 2  - kg 14,56/ m² 0,261<br>4 pz = 5  - kg 56,24/ m² 0,764                                                                                                                                                            | <b>Art.0322</b><br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch | • TUV GS (EN16139) |
| <b>FIRE RETARDANT TEST</b><br>Classe 1IM Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |                                                                                                                                                                              |                    |

Frame Base



CRO




Cover



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2013



High stool on swivelling, chromed steel base. The white polypropylene shell (PO101) with high backrest is upholstered with a removable non-washable cover in fabric, leather, coated fabric or customer's own material. The cover stitching comes in the same color as the upholstery. The chair is provided already fitted with the cover. Seat height 73 cm. Backrest height 108 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0323                                                                                                                                                                                                                                           | A   | B COM                                                                                                                                                                        | C COL | D   | E   | F                                                                                                                                                                                                                                                                                                                                                                   | G   | H   | I   | J    | K    | L    | M    | ES   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------|------|------|------|------|
| SWIVEL BASE - Cover                                                                                                                                                                                                                                   | 763 | 792                                                                                                                                                                          | 821   | 850 | 879 | 908                                                                                                                                                                                                                                                                                                                                                                 | 937 | 966 | 995 | 1024 | 1053 | 1082 | 1111 | 1214 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                      |     | TECHNICAL SPECIFICATIONS                                                                                                                                                     |       |     |     | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                     |     |     |     |      |      |      |      |      |
| <b>Art.0323</b><br>1 pz = 2  - kg 14,76/ m³ 0,321<br>4 pz = 5  - kg 57,04/ m³ 1,004 |     | <b>Art.0323</b><br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | <div>• EN 1728:2012 - EN 16139:2013 6.17</div> <div>• EN 1728:2012 - EN 16139:2013 6.21</div> <div>• EN 1728:2012 - EN 16139:2013 6.4</div> <div>• EN 1728:2012 - EN 16139:2013 6.8</div> <div>• EN 1728:2012 - EN 16139:2013 6.18</div> <div>• EN 1728:2012 - EN 16139:2013 6.24</div> <div>• EN 1728:2012 - EN 16139:2013 6.5</div> <div>• TUV GS (EN16139)</div> |     |     |     |      |      |      |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                   |     |                                                                                                                                                                              |       |     |     |                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |      |      |      |      |      |
| Classe 11M Omologazione Italia Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.                                      |     |                                                                                                                                                                              |       |     |     |                                                                                                                                                                                                                                                                                                                                                                     |     |     |     |      |      |      |      |      |

Frame Base

CRO




Cover



# Catifa 46 Counter Stool

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 65 cm. Backrest height 90 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0496                                                                                                                                                                                                                                                                                        | A   | B COM                                                                                                                                                                                                    | C COL | D   | E   | F                             | G   | H   | I   | J    | K    | L    | M    | ES   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|-------------------------------|-----|-----|-----|------|------|------|------|------|
| SWIVEL BASE                                                                                                                                                                                                                                                                                        | 757 | 786                                                                                                                                                                                                      | 815   | 844 | 873 | 902                           | 931 | 960 | 989 | 1018 | 1047 | 1076 | 1105 | 1208 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                   |     | TECHNICAL SPECIFICATIONS                                                                                                                                                                                 |       |     |     | RESISTANCE TEST               |     |     |     |      |      |      |      |      |
| <div>Art.0496</div> <div>1 pz = 2  - kg 13,76/ m³ 0,228</div> <div>4 pz = 5  - kg 52,74/ m³ 0,724</div>                          |     | <div>Art.0496</div> <div>COL requirement m² 1.67</div> <div>H 140 cm. COM Meterage m 0.99</div> <div>*Classe 1, 2, 1IM: fire retardant version available with surcharge and eventual minimum batch</div> |       |     |     | <div>• TUV GS (EN16139)</div> |     |     |     |      |      |      |      |      |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                |     |                                                                                                                                                                                                          |       |     |     |                               |     |     |     |      |      |      |      |      |
| <div>Classe 1IM Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.</div> <div>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat.</div> |     |                                                                                                                                                                                                          |       |     |     |                               |     |     |     |      |      |      |      |      |


Frame Base

CRO



# Catifa 46 Bar Stool

Design by Lievore Altherr Molina, 2004



High stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, upholstered in leather, coated fabric, fabric or customer's own material. Line detail stitching. Seat height 73 cm. Backrest height 98 cm.

Accessories:  
Set of glides Art. 2015

| € ART. 0495                                                                                                                                                                                                                                                                                            | A   | B COM                                                                                                                                                                 | C COL | D   | E   | F                                                                                            | G   | H   | I   | J    | K    | L    | M    | ES   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----|----------------------------------------------------------------------------------------------|-----|-----|-----|------|------|------|------|------|
| SWIVEL BASE                                                                                                                                                                                                                                                                                            | 757 | 786                                                                                                                                                                   | 815   | 844 | 873 | 902                                                                                          | 931 | 960 | 989 | 1018 | 1047 | 1076 | 1105 | 1208 |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                       |     | TECHNICAL SPECIFICATIONS                                                                                                                                              |       |     |     | RESISTANCE TEST                                                                              |     |     |     |      |      |      |      |      |
| Art.0495<br>1 pz = 2  - kg 13,96/ m³ 0,288<br>4 pz = 5  - kg 53,54/ m³ 0,964                                                         |     | Art.0495<br>COL requirement m² 1.67<br>H 140 cm. COM Meterage m 0.99<br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |       |     |     | • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.8<br>• TUV GS (EN16139) |     |     |     |      |      |      |      |      |
| FIRE RETARDANT TEST<br>Classe 11M Omologazione Italia Divina MD Kvadrat. Divina Melange 3 Kvadrat. Divina 3 Kvadrat. Field Kvadrat. Coated fabric Valencia Spradling.<br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Elmosoft. Revive 1 Kvadrat. Steelcut Trio 3 Kvadrat. |     |                                                                                                                                                                       |       |     |     |                                                                                              |     |     |     |      |      |      |      |      |

Frame Base

CRO



arper

## Accessories

Design by Lievore Altherr Molina, 2013

Fabric, leather, coated fabric or customer's own material, non-washable, removable cover. The cover stitching comes in the same color as the upholstery. Shell not included.



| € ART. 0309                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | A B COM C COL D E F G H I J K L M ES |                                                                      |     |     |     |     |                 |     |     |     |     |     |     |     |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------|-----|-----|-----|-----|-----------------|-----|-----|-----|-----|-----|-----|-----|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 299                                  | 327                                                                  | 355 | 383 | 411 | 439 | 467             | 495 | 523 | 551 | 579 | 607 | 635 | 731 |  |  |
| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                      | TECHNICAL SPECIFICATIONS                                             |     |     |     |     | RESISTANCE TEST |     |     |     |     |     |     |     |  |  |
| Art.0309<br>1 pz = 1  - kg 5/ m³ 0,138<br>10 pz = 1  - kg 11,06/ m³ 0,155<br>20 pz = 1  - kg 22,06/ m³ 0,262<br>4 pz = 1  - kg 10/ m³ 0,138 |                                      | Art.0309<br>COL requirement m² 1.97<br>H 140 cm. COM Meterage m 1.08 |     |     |     |     | • EN 1022:05    |     |     |     |     |     |     |     |  |  |
| FIRE RETARDANT TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                      |                                                                      |     |     |     |     |                 |     |     |     |     |     |     |     |  |  |



## Accessories

Design by Lievore Altherr Molina

|                                                                                                                                                                                |                                                                                                                                                                                |                                                                                                                                                                                                                                     |                                                                                                                                                                                    |                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>€ <b>ART. 0258</b></p>  <p>Link</p> <p>30</p>                                              | <p>€ <b>ART. 0264</b></p>  <p>Writing tablet in HPL anthracite. 25,5 x 26,6 cm</p> <p>120</p> | <p>€ <b>ART. 0277</b></p>  <p>Stacking protection pad for chair with link (only version without armrest pad). For upholstered shell.</p> <p>45</p> | <p>€ <b>ART. 0286</b></p>  <p>Stacking protection glide for wooden shell.</p> <p>28</p>          | <p>€ <b>ART. 0499</b></p>  <p>Stacking protection pad. For upholstered shell.</p> <p>30</p> |
| <p>€ <b>ART. 0500</b></p>  <p>Trolley (Aava 02, Catifa 46, Catifa 53, Juno 02)</p> <p>393</p> | <p>€ <b>ART. 0760</b></p>  <p>Trolley (finishes V03)</p> <p>191</p>                           | <p>€ <b>ART. 2015</b></p>  <p>Set of glides (white or black) in felt</p> <p>14</p>                                                                 | <p>€ <b>ART. 2073</b></p>  <p>Movable link (not suitable for chairs with armrests)</p> <p>4</p> |                                                                                                                                                                                |

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | TECHNICAL SPECIFICATIONS | RESISTANCE TEST                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------|
| <p><b>Art. 0258</b></p> <p>1 pz = 1  - kg 0,73/ m³ 0,006</p> <p><b>Art. 0264</b></p> <p>1 pz = 1  - kg 8,5/ m³ 0,005</p> <p>4 pz = 1  - kg 32,5/ m³ 0,015</p> <p><b>Art. 0277</b></p> <p>1 pz = 2  - kg 1,75/ m³ 0,037</p> <p>4 pz = 2  - kg 5,58/ m³ 0,037</p> <p><b>Art. 0286</b></p> <p>1 pz = 1  - kg 0,1/ m³ 0,001</p> <p>4 pz = 1  - kg 0,68/ m³ 0,01</p> <p><b>Art. 0499</b></p> <p>1 pz = 1  - kg 1,02/ m³ 0,037</p> <p>4 pz = 1  - kg 2,66/ m³ 0,037</p> <p><b>Art. 2015</b></p> <p>1 pz = 1  - kg 0,08/ m³ 0,001</p> <p>10 pz = 1  - kg 1,2/ m³ 0,007</p> <p><b>Art. 2073</b></p> <p>1 pz = 1  - kg 1,5/ m³ 0,012</p> <p>10 pz = 1  - kg 1,5/ m³ 0,012</p> <p>2 pz = 1  - kg 1,5/ m³ 0,012</p> <p>4 pz = 1  - kg 1,5/ m³ 0,012</p> |                          | <p>• EN 14703:2007 7.3</p> <p>• EN 14703:2007 7.2</p> |
| <b>FIRE RETARDANT TEST</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                          |                                                       |



# CATIFA BENCH

---

Design by  
Lievore Altherr Molina  
2001



# Catifa Bench

## Composition Examples

---



2-seater



3-seater



4-seater

## Shells

---



One color polypropylene

## Table module

---




52 x 40 cm

## Catifa Bench

Design by Lievore Altherr Molina, 2001



Bench with powder-coated metal frame, available in three sizes to accommodate two, three or four units fitted with polypropylene shells or powder-coated steel tables.



Accessories:  
Cushion Art. 0230  
Cushion Art. 0231  
Removable cover Art. 3116

|                                            |                  |                                                      |
|--------------------------------------------|------------------|------------------------------------------------------|
| €                                          | <b>ART. 2036</b> | -                                                    |
| PO                                         |                  | 210                                                  |
| Polypropylene fire retardant (only for PO) |                  | 41                                                   |
|                                            |                  | <b>Art. 2036</b> (For all finishes qty min. 300 pcs) |

| SHIPMENT DETAILS                                                                                                    | TECHNICAL SPECIFICATIONS                                                                                          | RESISTANCE TEST |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|
| <b>Art. 2036</b><br>1 pz = 2  - kg 4,34/ m² 0,134<br>4 pz = 3  - kg 13,66/ m² 0,165                                 | <b>Art. 2036</b><br>*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch |                 |
| <b>FIRE RETARDANT TEST</b><br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1 Omologazione Italia Polipropilene. |                                                                                                                   |                 |

Shell




PO00401 PO00409




arper


## EXAMPLES OF HOW TO ORDER




2 x Art. 2036 + Art. 3147 + Art. 3131



3 x Art. 2036 + Art. 3132



3 x Art. 2036 + Art. 3147 + Art. 3133

|                                                                                    |   |                  |                              |      |
|------------------------------------------------------------------------------------|---|------------------|------------------------------|------|
|   | € | <b>ART. 3131</b> | 2-seater beam + pair of legs | 880  |
|                                                                                    | € | <b>ART. 3132</b> | 3-seater beam + pair of legs | 962  |
|                                                                                    | € | <b>ART. 3133</b> | 4-seater beam + pair of legs | 1087 |
|  | € | <b>ART. 3147</b> | STEEL TABLE 52 X 40 cm       | 232  |
|                                                                                    |   |                  |                              |      |

| SHIPMENT DETAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------|
| <b>Art. 3131</b><br>1 pz = 2  - kg 8,82/ m² 0,037<br><b>Art. 3132</b><br>1 pz = 2  - kg 10,34/ m² 0,041<br><b>Art. 3133</b><br>1 pz = 2  - kg 14,88/ m² 0,045<br><b>Art. 3147</b><br>1 pz = 1  - kg 10,3/ m² 0,018 |                          |                 |
| <b>FIRE RETARDANT TEST</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                          |                 |

Frame Base



arper

# CATIFA UP

---

Design by  
Lievore Altherr Molina  
2017



## Collection overview

### Bases

---



Aluminum trestle  
swivel base  
Armrest versions



Aluminum trestle  
fixed base  
Armrest versions



5 ways aluminum  
on castors  
Armrest versions

### Shells

---



Upholstered with line detail  
stitching.



Upholstered with  
double frontal cushion

### Armrest types

---




BV =  
Lacquered and polished  
armrest

The optional armrests in the same finish as the base must  
therefore be included when placing the order, because they can  
be assembled only on compatible shells.

# Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium swivel trestle base. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base. The optional armrests must therefore be included when placing the order, because they can be assembled only on compatible shells.



| € ART. 6200             | A     | B COM | C COL | D   | E   | F   | G   | H   | I    | J    | K    | L    | M    | ES   |
|-------------------------|-------|-------|-------|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 721   | 757   | 793   | 829 | 865 | 901 | 937 | 973 | 1009 | 1045 | 1081 | 1117 | 1153 | 1311 |
| Armrests BV             | + 191 |       |       |     |     |     |     |     |      |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                                 | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|
| <b>Art. 6200</b><br>1 pz = 2 - kg 13,9/ m³ 0,34<br>1 pz = 3 - kg 17,4/ m³ 0,37<br>4 pz = 2 - kg 41,4/ m³ 0,52<br>4 pz = 3 - kg 55,4/ m³ 0,55     | <b>Art.6200</b><br>COL requirement m² 1.86<br>H 140 cm. COM Meterage m 1.33 |                 |
| <b>FIRE RETARDANT TEST</b><br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. |                                                                             |                 |

Frame Base



Armrest




Armrests BV



# Catifa Up Soft

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium swivel trestle base. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base. The optional armrests must therefore be included when placing the order, because they can be assembled only on compatible shells.



| € ART. 6204             | A     | B COM | C COL | D    | E    | F    | G    | H    | I    | J    | K    | L    | M    | ES   |
|-------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 906   | 946   | 986   | 1026 | 1066 | 1106 | 1146 | 1186 | 1226 | 1266 | 1306 | 1346 | 1386 | 1536 |
| Armrests BV             | + 191 |       |       |      |      |      |      |      |      |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                                   | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art. 6204</b><br>1 pz = 2  - kg 14,9/ m³ 0,34<br>1 pz = 3  - kg 18,4/ m³ 0,37<br>4 pz = 2  - kg 43,9/ m³ 0,52<br>4 pz = 3  - kg 57,9/ m³ 0,55   | <b>Art.6204</b><br>COL requirement m² 2.40<br>H 140 cm. COM Meterage m 1.18 | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.10</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.20</li> <li>• EN 1728:2012 - EN 16139:2013 6.25</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.11</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.24</li> <li>• EN 1728:2012 - EN 16139:2013 6.26</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• EN 1728:2012 - EN 16139:2013 6. 6</li> </ul> |
| <b>FIRE RETARDANT TEST</b><br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Coated fabric Valencia Spradling. |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

Frame Base



Armrest




Armrests BV



# Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base. The optional armrests must therefore be included when placing the order, because they can be assembled only on compatible shells.



| € ART. 6201             | A     | B COM | C COL | D   | E   | F   | G   | H    | I    | J    | K    | L    | M    | ES   |
|-------------------------|-------|-------|-------|-----|-----|-----|-----|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 758   | 794   | 830   | 866 | 902 | 938 | 974 | 1010 | 1046 | 1082 | 1118 | 1154 | 1190 | 1348 |
| Armrests BV             | + 191 |       |       |     |     |     |     |      |      |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                                 | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art. 6201</b><br>1 pz = 2 - kg 13,9/ m³ 0,34<br>1 pz = 3 - kg 17,4/ m³ 0,37<br>4 pz = 2 - kg 41,4/ m³ 0,52<br>4 pz = 3 - kg 55,4/ m³ 0,55     | <b>Art.6201</b><br>COL requirement m² 1.86<br>H 140 cm. COM Meterage m 1.33 | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.10</li> <li>• EN 1728:2012 - EN 16139:2013 6.15</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.20</li> <li>• EN 1728:2012 - EN 16139:2013 6.25</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.13.1</li> <li>• ANSI/BIFMA X5.1-2017/7</li> <li>• ANSI/BIFMA X5.1-2017/11</li> <li>• ANSI/BIFMA X5.1-2017/13</li> <li>• ANSI/BIFMA X5.1-2017/16</li> <li>• ANSI/BIFMA X5.1-2017/20</li> <li>• ANSI/BIFMA X5.1-2017/10.4</li> </ul> |
| <b>FIRE RETARDANT TEST</b><br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

Frame Base



Armrest




Armrests BV



# Catifa Up Soft

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminium fixed trestle base, mounted on self-braking castors. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base. The optional armrests must therefore be included when placing the order, because they can be assembled only on compatible shells.



| € ART. 6205             | A     | B COM | C COL | D    | E    | F    | G    | H    | I    | J    | K    | L    | M    | ES   |
|-------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| POLISHED / POWDERCOATED | 943   | 983   | 1023  | 1063 | 1103 | 1143 | 1183 | 1223 | 1263 | 1303 | 1343 | 1383 | 1423 | 1573 |
| Armrests BV             | + 191 |       |       |      |      |      |      |      |      |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                                   | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|
| <b>Art. 6205</b><br>1 pz = 2  - kg 14,9/ m³ 0,34<br>1 pz = 3  - kg 18,4/ m³ 0,37<br>4 pz = 2  - kg 43,9/ m³ 0,52<br>4 pz = 3  - kg 57,9/ m³ 0,55   | <b>Art.6205</b><br>COL requirement m² 2.40<br>H 140 cm. COM Meterage m 1.18 |                 |
| <b>FIRE RETARDANT TEST</b><br>• FIRE RETARDANT VERSION WITH SURCHARGE • Classe 1IM Omologazione Italia Elmosoft. Coated fabric Valencia Spradling. |                                                                             |                 |

Frame Base



Armrest




Armrests BV



# Catifa Up

Design by Lievore Altherr Molina, 2017

Chair with polished or powder-coated aluminum five star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas-lift mechanism for height adjustment. The shell in white polypropylene is upholstered in fabric, leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base. The optional armrests must therefore be included when placing the order, because they can be assembled only on compatible shells.



| € ART. 6203   | A     | B COM | C COL | D   | E    | F    | G    | H    | I    | J    | K    | L    | M    | ES   |
|---------------|-------|-------|-------|-----|------|------|------|------|------|------|------|------|------|------|
| GAS MECHANISM | 879   | 915   | 951   | 987 | 1023 | 1059 | 1095 | 1131 | 1167 | 1203 | 1239 | 1275 | 1311 | 1469 |
| Armrests BV   | + 191 |       |       |     |      |      |      |      |      |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                           | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|
| <b>Art. 6203</b><br>1 pz = 2  - kg 16,5/ m³ 0,41<br>1 pz = 3  - kg 20/ m³ 0,44<br>4 pz = 5  - kg 59/ m³ 1,19<br>4 pz = 6  - kg 73/ m³ 1,22 | <b>Art.6203</b><br>COL requirement m² 1.86<br>H 140 cm. COM Meterage m 1.33 |                 |

## FIRE RETARDANT TEST

• FIRE RETARDANT VERSION WITH SURCHARGE \* Classe 1IM Omologazione Italia Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat.

Frame Base



Armrest




Armrests BV



# Catifa Up Soft

Design by Lievore Altherr Molina, 2017



Chair with polished or powder-coated aluminum five star swivel base, mounted on self-braking castors (color matching with base) and equipped with gas-lift mechanism for height adjustment. The shell in white polypropylene comes with a front double cushion and it's upholstered in leather, coated fabric, fabric or customer's material. Aluminium armrests are offered in the same finishes of the base. The optional armrests must therefore be included when placing the order, because they can be assembled only on compatible shells.

| € ART. 6207   | A     | B COM | C COL | D    | E    | F    | G    | H    | I    | J    | K    | L    | M    | ES   |
|---------------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| GAS MECHANISM | 1064  | 1104  | 1144  | 1184 | 1224 | 1264 | 1304 | 1344 | 1384 | 1424 | 1464 | 1504 | 1544 | 1694 |
| Armrests BV   | + 191 |       |       |      |      |      |      |      |      |      |      |      |      |      |

| SHIPMENT DETAILS                                                                                                                                   | TECHNICAL SPECIFICATIONS                                                    | RESISTANCE TEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Art. 6207</b><br>1 pz = 2  - kg 17,5/ m³ 0,41<br>1 pz = 3  - kg 21/ m³ 0,44<br>4 pz = 5  - kg 61,5/ m³ 1,19<br>4 pz = 6  - kg 75,5/ m³ 1,22     | <b>Art.6207</b><br>COL requirement m² 2.40<br>H 140 cm. COM Meterage m 1.18 | <ul style="list-style-type: none"> <li>• EN 1728:2012 - EN 16139:2013 6.10</li> <li>• EN 1728:2012 - EN 16139:2013 6.17</li> <li>• EN 1728:2012 - EN 16139:2013 6.20</li> <li>• EN 1728:2012 - EN 16139:2013 6.25</li> <li>• EN 1728:2012 - EN 16139:2013 6.4</li> <li>• EN 1022:05</li> <li>• EN 1728:2012 - EN 16139:2013 6.11</li> <li>• EN 1728:2012 - EN 16139:2013 6.18</li> <li>• EN 1728:2012 - EN 16139:2013 6.24</li> <li>• EN 1728:2012 - EN 16139:2013 6.26</li> <li>• EN 1728:2012 - EN 16139:2013 6.5</li> <li>• EN 1728:2012 - EN 16139:2013 6. 6</li> </ul> |
| <b>FIRE RETARDANT TEST</b><br>• FIRE RETARDANT VERSION WITH SURCHARGE * Classe 1IM Omologazione Italia Elmosoft. Coated fabric Valencia Spradling. |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

Frame Base



Armrest



Armrests BV




Catifa 53  
PaperShell



CR00001

Aava 02

Polipropilene  
Polypropylene  
Polypropylen  
Polypropylène  
Polipropileno



PG00011



PG00012



PG00013



PG00014



PG00015

Adell

Polipropilene  
Polypropylene  
Polypropylen  
Polypropylène  
Polipropileno



PD00001



PD00002




PD00003



PD00004

Catifa 46

Polipropilene monocolore  
Polypropylene one colour  
Polypropylen einfarbig  
Polypropylène monocolore  
Polipropileno monocolor



PO00101



PO00109



PO00112



PO00113



PO00114



PO00115



PO00116



PO00117

Catifa 46

Polipropilene bicolore  
Polypropylene two colors  
Polypropylen zweifarbig  
Polypropylène bicolore  
Polipropileno bicolor



PO00205



PO00209



PO00212



PO00213



PO00214




PO00217



PO00218

Catifa Bench

Polipropilene  
Polypropylene  
Polypropylen  
Polypropylène  
Polipropileno




PO00401



PO00409

Cila & Cila Go

Polipropilene  
Polypropylene  
Polypropylen  
Polypropylène  
Polipropileno



PC00001



PC00002



PC00003



PC00004



PC00005\*

\*non disponibile per base sgabello  
\*not available for the stool base  
\*nicht verfügbar für Hockergestell  
\*non disponible pour piètement tabouret  
\*no disponible para base de taburete

Metalli  
Metals  
Metalle  
Métal  
Metal



CRO LU1 S03 V12 - matt / glossy V24 - matt V25 - matt



V39 - matt / glossy V44 - matt V54 - matt V68 - matt

Arcos

Metalli  
Metals  
Metalle  
Métal  
Metal



V25 matt V61 matt V76 matt V77 matt

Adell

Metalli  
Metals  
Metalle  
Métal  
Metal



V44 - matt

Catifa 46

Metalli  
Metals  
Metalle  
Métal  
Metal



CRO LU1 V12 - matt V39 - matt V53 - matt V54 - matt V55 - matt



V56 - matt V57 - matt

Dizzie

Metalli  
Metals  
Metalle  
Métal  
Metal



V12 - glossy V34 - glossy V39 - matt / glossy V48 - glossy V53 - glossy

Kinesit Met

Metalli  
Metals  
Metalle  
Métal  
Metal



V14 - matt V15 - matt V16 - matt



## CHROME FREE

ELMOSOFT è una pelle semi-anilina, morbida e flessibile. La sua morbidezza associata alla sua robustezza e ad una vasta gamma di colori disponibili rendono la pelle Elmosoft adatta ad un utilizzo nel contract. Punture di insetti e cicatrici visibili contribuiscono a valorizzare le caratteristiche di unicità ed eleganza di questa pelle.

ELMOSOFT is a soft and pliable Semi-Aniline leather. Outstanding comfort combined with excellent durability and an extensive shade card, makes it very suitable for the public environment. Visible insect-bites and scars from healed wounds add to the elegant quality of the leather.

ELMOSOFT. Weiches, geschmeidiges Semi-Anilinder, Ein sehr strapazierfähiges und im Griff komfortables Leder in reicher Farbauswahl, hervorragend geeignet für Objektausstattungen. Sichtbar erhaltene Insektenstiche und kleine vernarbte Wunden betonen die naturechte Eleganz.

ELMOSOFT est un cuir semi-aniline, souple et doux. Son confort élevé, associé à une grande robustesse et à une vaste gamme de coloris disponibles, le rend particulièrement indiqué pour les collectivités. Les piqûres d'insectes et les cicatrices visibles contribuent à rehausser le caractère élégant du cuir.

ELMOSOFT es una piel semianilina suave y flexible. Su destacable confort combinado con excelente durabilidad y una amplia gama de colores, la hacen muy adecuada para ambientes públicos. Picaduras de insectos visibles y cicatrices de heridas contribuyen a valorar la elegante calidad de la piel.

Arper grade  
ES



ELMOSOFT è una pelle semi-anilina, morbida e flessibile. La sua morbidezza associata alla sua robustezza e ad una vasta gamma di colori disponibili rendono la pelle Elmosoft adatta ad un utilizzo nel contract. Punture di insetti e cicatrici visibili contribuiscono a valorizzare le caratteristiche di unicità ed eleganza di questa pelle.

ELMOSOFT is a soft and pliable Semi-Aniline leather. Outstanding comfort combined with excellent durability and an extensive shade card, makes it very suitable for the public environment. Visible insect-bites and scars from healed wounds add to the elegant quality of the leather.

ELMOSOFT. Weiches, geschmeidiges Semi-Anilinleder, Ein sehr strapazierfähiges und im Griff komfortables Leder in reicher Farbauswahl, hervorragend geeignet für Objektausstattungen. Sichtbar erhaltene Insektenstiche und kleine vernarbte Wunden betonen die naturechte Eleganz.

ELMOSOFT est un cuir semi-aniline, souple et doux. Son confort élevé, associé à une grande robustesse et à une vaste gamme de coloris disponibles, le rend particulièrement indiqué pour les collectivités. Les piqures d'insectes et les cicatrices visibles contribuent à rehausser le caractère élégant du cuir.

ELMOSOFT es una piel semianilina suave y flexible. Su destacable confort combinado con excelente durabilidad y una amplia gama de colores, la hacen muy adecuada para ambientes públicos. Picaduras de insectos visibles y cicatrices de heridas contribuyen a valorar la elegante calidad de la piel.

Arper grade  
ES



ES87025



ES87033



ES88058



ES88059



ES91102



ES91118



ES93068



ES93099



ES93109



ES93121



ES93129



ES95006




ES97038



ES98015



ES98047



ES98087



ES98087

Not available for Adell 6811.



NEOCOAST

Soft leather

Weichleder

Cuir souple

Piel

Arper grade

H



P400114



P402061



P412097



P418008



P443041



P443084



P444015



P445024



P455058



P471010




P477022



P477035



P488017




P491097



P491100




P493090




P495042



P498016



P498043



P499076

Pelle Fiore  
Soft leather  
Weichleder  
Cuir souple  
Piel

Arper grade  
J



PF00001



PF00003



PF00004



PF00007



PF00014



PF00015



PF00016



PF00017



PF00018



PF00019




PF00020

Not available for Adell 6811.

Cuoio  
Hard leather  
Kernleder  
Cuir  
Cuero

Arper grade  
CT



CT00020



CT00031



CT00033



CT00034




CT00090



CT00120

Only for Catifa 53 and Norma collections.

Cuciture a contrasto standard  
Standard contrast stitching  
Standard Kontrastnähte  
Surpiqûre standard à contrast  
Costura contraste estándar



CT00120  
Cucitura in ocre  
Ochre stitching  
Ockergelbe Nähte  
Surpiqûre en Ocre  
Costura ocre



CT00031  
Cucitura in grigio scuro  
Dark grey stitching  
Dunkelgraue Nähte  
Surpiqûre en gris foncé  
Costura gris obscuro



**SPRADLING®**

Valencia

Tessuto spalmato Valencia  
Coated fabric Valencia  
Beschichtete textilien Valencia  
Tissus enduits Valencia  
Tejido recubierto Valencia

Arper grade  
**B**



VL02020



VL00001



VL00002



VL00020



VL00033



VL00034



VL00035



VL01001



VL01048



VL01049



VL01050



VL02001



VL02002



VL02008



VL02021



VL02062



VL02074



VL02075



VL02106



VL02107



VL02108



VL02110



VL02111



VL02112



VL02113



VL02114



VL02115



VL02116



VL02117



VL02119



VL02522



VL03001



VL03067



VL03068



VL03069



VL04001



VL04002




VL04003



VL04040



VL04041



VL04042



VL04043



VL04044



VL04045



VL04052



VL05001



VL05002



VL05032



VL05041



VL05056



VL05057



VL05065



VL05069





**SPRADLING®**

Valencia

Tessuto spalmato Valencia

Coated fabric Valencia

Beschichtete textilien Valencia

Tissus enduits Valencia

Tejido recubierto Valencia

Arper grade

**B**



VL05451



VL06003



VL06012



VL06013



VL06019



VL06438



VL07001



VL08032



VL08415



VL08438



VL09001



VL09035



VL09245



VL09607

Not available for Adell 6811.



**SPRADLING®**  
Silvertex

Arper grade  
C



Not available for Adell 6811, 6812 and  
Duna 02 cushions.



SX00001



SX00002



SX00005



SX00009



SX00013



SX00073



SX01010



SX01014



SX01051



SX01077



SX01078



SX02003



SX02011



SX02012



SX02016



SX02064



SX02089



SX02090




SX02091



SX02092



SX02093



SX02094



SX02095



SX02096



SX02097




SX02098




SX02099



SX02100



SX02101



SX02102




SX02103



SX02104



SX02105



SX02318



SX03001



SX03007



SX03066



SX03067



SX03068



SX03352



SX03375



SX04001



SX04002



SX04003



SX04004



SX04010



SX04011



SX04012



SX04024



SX05008



SX05009



SX05010



SX05019




**SPRADLING®**  
Silvertex


Arper grade  
C



SX05020



SX05039



SX05063



SX05468



SX06004




SX06061



SX06062



SX06065



SX06434



SX07001



SX07002



SX07251



SX09001



SX09002



SX09243

**kvadrat**

Atom

Arper grade  
M



AM00124




AM00194



AM00574



AM00774



AM00944



AM00964

**kvadrat**

Azure Outdoor

Arper grade  
E



AZ00104



AZ00124



AZ00204



AZ00214



AZ00324



AZ00394



AZ00454



AZ00674



AZ00704



AZ00754



AZ00794




AZ00924



AZ00984

**kvadrat**  
Balder 3

Arper grade  
I



B100132



B100152



B100192



B100212



B100382



B100432



B100542



B100562



B100612



B100682




B100692



B100782



B100792




B100862



B100912



B100942



B100982



B101775



B102635

# kvadrat

Canvas 2



Kvadrat's Canvas 2 has been awarded the EU Ecolabel

Arper grade  
D



CV00114



CV00124



CV00134



CV00154



CV00174



CV00216



CV00224



CV00244



CV00254



CV00264



CV00356



CV00364



CV00374



CV00414



CV00424



CV00446



CV00454



CV00546



CV00556



CV00566



CV00576



CV00614



CV00644



CV00654



CV00666



CV00674



CV00684



CV00694



CV00716



CV00726



CV00734



CV00746



CV00764



CV00786



CV00794



CV00836



CV00854



CV00926



CV00936



CV00946



CV00954



CV00964



CV00974



CV00984



CV00996

# kvadrat

Divina 3



Kvadrat's Divina 3 has been awarded the EU Ecolabel

Arper grade  
G



DV00171



DV00106



DV00154



DV00173



DV00181



DV00191



DV00224



DV00236



DV00246



DV00334



DV00346



DV00356



DV00376



DV00384



DV00393



DV00426



DV00444



DV00462



DV00526



DV00536



DV00542



DV00552



DV00562



DV00584



DV00623



DV00626



DV00636



DV00652



DV00662



DV00671



DV00666



DV00676



DV00684



DV00686



DV00691



DV00692



DV00696



DV00712



DV00742



DV00756



DV00782



DV00791



DV00793



DV00826



DV00836



DV00846



DV00856



DV00876



DV00886



DV00893



DV00922



DV00936



DV00944



DV00956



DV00966



DV00984

arper

**kvadrat**

Divina MD



Kvadrat's Divina MD has been awarded the EU Ecolabel


Arper grade  
**G**



DI00193



DI00203



DI00213



DI00293



DI00343



DI00353



DI00363



DI00413



DI00433



DI00453



DI00613



DI00633



DI00653



DI00673



DI00683



DI00713



DI00733



DI00743



DI00753



DI00773



DI00783



DI00813



DI00843



DI00873



DI00913



DI00943



DI00973

# kvadrat

Divina Melange 3



Kvadrat's Divina Melange 3 has been awarded the EU Ecolabel

Arper grade  
G



DM00120



DM00147



DM00170



DM00180



DM00227



DM00237



DM00260



DM00277



DM00280



DM00367



DM00427



DM00457



DM00467



DM00471



DM00517



DM00527



DM00547



DM00557



DM00567



DM00571



DM00581



DM00597



DM00617



DM00620



DM00647



DM00677



DM00687



DM00731



DM00747



DM00757



DM00777



DM00787



DM00821



DM00871



DM00917



DM00937



DM00967



DM00977


**kvadrat**

Field 2



**Kvadrat's Field 2  
has been awarded  
the EU Ecolabel**


Arper grade  
**B**



FI00123



FI00132



FI00142



FI00173



FI00182



FI00192



FI00222



FI00233



FI00242



FI00343



FI00373



FI00443



FI00463



FI00623



FI00643



FI00662




FI00663



FI00673



FI00693



FI00723



FI00733



FI00763



FI00773



FI00782



FI00793



FI00843



FI00933



FI00943



FI00963



FI00983

**kvadrat**

Fiord 2 (EU Ecolabel)



Kvadrat's Fiord 2  
has been awarded  
the EU Ecolabel

Arper grade  
**F**



FD00101



FD00121



FD00151



FD00171



FD00191



FD00201



FD00251



FD00262



FD00271



FD00322



FD00351



FD00371



FD00382



FD00391



FD00422



FD00442



FD00451



FD00521



FD00551



FD00562



FD00571



FD00581



FD00591



FD00642



FD00662



FD00672



FD00721



FD00751



FD00762



FD00771



FD00782




FD00791



FD00821



FD00862



FD00951



FD00961



FD00971



FD00981



FD00991

# kvadrat

Hallingdal 65 (EU Ecolabel)




Kvadrat's Hallingdal 65 has been awarded the EU Ecolabel

Arper grade  
G



HA00103




HA00100




HA00110




HA00113




HA00116



HA00123




HA00126




HA00130




HA00143



HA00153




HA00166



HA00173




HA00180




HA00190




HA00200



HA00220



HA00224



HA00227



HA00270



HA00350



HA00368



HA00370



HA00376



HA00390




HA00407



HA00420



HA00457



HA00526



HA00547



HA00563



HA00573



HA00590



HA00596



HA00600



HA00657



HA00660



HA00674



HA00680



HA00687



HA00694



HA00702



HA00723



HA00733



HA00750



HA00753



HA00754



HA00763



HA00764



HA00773



HA00810



HA00840



HA00850



HA00890




HA00907



HA00944



HA00960



HA00968



HA00980

Not available for Paravan collection

arper

## kvadrat

Jaali




Kvadrat's Jaali has been awarded the EU Ecolabel

Arper grade  
G



JA00101



JA00121



JA00141



JA00171




JA00201



JA00341



JA00561



JA00571



JA00591



JA00611



JA00651



JA00671



JA00751



JA00761



JA00781



JA00791



JA00871



JA00951



JA00961



JA00991

## kvadrat

Moss

Arper grade  
H



M800001



M800002



M800003



M800004



M800005



M800006



M800007



M800008



M800009



M800010



M800011



M800012



M800013



M800014



M800015



M800016



M800017




M800018



M800019



M800020



M800021



M800022



(\*) Not available for Pix Outdoor and Ralik Outdoor collections.


**kvadrat**

Re-wool 2



Kvadrat's Re-wool  
has been awarded  
the EU Ecolabel

Arper grade  
E



RW00108



RW00128



RW00147



RW00158



RW00198



RW00218



RW00347



RW00377



RW00397



RW00447



RW00558



RW00568



RW00577




RW00648



RW00657



RW00687



RW00718



RW00787



RW00797



RW00858



RW00868



RW00967



RW00977



RW00987

**kvadrat**

Remix 3 (EU Ecolabel)



Kvadrat's Remix 3  
has been awarded  
the EU Ecolabel

Arper grade  
C



RX00123



RX00113 (+)



RX00126



RX00133



RX00136



RX00143



RX00152



RX00163



RX00173



RX00183



RX00196



RX00223 (+)



RX00233



RX00242



RX00252



RX00266



RX00276



RX00286



RX00296



RX00326



RX00346



RX00356



RX00362



RX00373



RX00383



RX00393



RX00406



RX00412



RX00422



RX00433



RX00443



RX00452



RX00516



RX00536



RX00543



RX00566



RX00606



RX00612



RX00632



RX00643



RX00653



RX00662



RX00672



RX00682



RX00686



RX00692



RX00716



RX00722



RX00733



RX00743



RX00753



RX00762



RX00773



## kvadrat

Remix 3 (EU Ecolabel)



Kvadrat's Remix 3  
has been awarded  
the EU Ecolabel

Arper grade  
C



(\*) RX00113 - RX00223: only for the cushions Owl, Lines e Pleats.

## kvadrat

Revive 1

Arper grade  
B



**kvadrat**  
Ria

Arper grade  
ES



RA00111



RA00141



RA00181



RA00241



RA00281




RA00431



RA00441



RA00451



RA00541



RA00551



RA00591



RA00741



RA00791




RA00921




RA00981

**kvadrat**  
Savanna

Arper grade  
G



SA00122



SA00152



SA00192



SA00202



SA00222



SA00242



SA00262



SA00292




SA00442



SA00622



SA00672



SA00952

**kvadrat**  
Sonar 3

Arper grade  
M



S700113



S700124




S700134



S700153



S700164



S700173



S700194



S700374



S700384



S700633



S700673



S700684



S700734



S700773



S700784



S700934



S700974

# kvadrat

Steelcut 3




Kvadrat's Steelcut 3 has been awarded the EU Ecolabel

Arper grade  
G



SE00545



SE00110



SE00120



SE00140



SE00155



SE00160



SE00180



SE00190



SE00220



SE00240



SE00252



SE00265



SE00365



SE00402



SE00445



SE00452



SE00502



SE00512



SE00522



SE00535



SE00552



SE00562



SE00605



SE00612



SE00655



SE00662



SE00672



SE00682



SE00695



SE00732



SE00742



SE00775



SE00780



SE00912



SE00922



SE00932



SE00962



SE00975



SE00985

**kvadrat**

Steelcut Trio 3



Kvadrat's Steelcut Trio 3  
has been awarded the  
EU Ecolabel

Arper grade  
G



ST00113



ST00105



ST00124



ST00133



ST00153




ST00176



ST00195



ST00205



ST00213



ST00226



ST00236



ST00246



ST00253



ST00266




ST00276




ST00283




ST00336



ST00376



ST00383



ST00416



ST00426



ST00436



ST00446



ST00453



ST00466



ST00476



ST00506



ST00515



ST00526




ST00533



ST00553




ST00576



ST00616



ST00636



ST00645



ST00666



ST00686



ST00713



ST00716



ST00746



ST00756



ST00776



ST00796



ST00806



ST00865



ST00883



ST00906



ST00916



ST00946



ST00953



ST00966



ST00976



ST00983



ST00996

# kvadrat

Tonus 4



Kvadrat's Tonus 4  
has been awarded the  
EU Ecolabel

Arper grade  
F



T300100



T300118



T300125



T300128



T300129



T300130



T300131



T300132



T300135



T300207



T300210



T300216



T300224



T300240



T300244



T300364



T300374



T300394



T300424



T300440



T300454



T300464



T300474



T300508



T300554



T300605



T300608



T300609



T300610



T300613



T300615



T300619



T300631



T300634



T300636



T300654



T300664



T300684



T300690



T300754



T300764



T300854



T300914



T300934



T300954



T300964



T300974

# kvadrat

Vidar 4



Kvadrat's Vidar 4 has been awarded the EU Ecolabel

Arper grade  
J



VD00106



VD00123



VD00133




VD00143



VD00146




VD00152



VD00182



VD00222



VD00323



VD00333



VD00353



VD00363



VD00386



VD00443



VD00456



VD00472



VD00526



VD00542



VD00554



VD00556



VD00582



VD00622



VD00633



VD00653



VD00656



VD00676



VD00693



VD00723



VD00733



VD00743



VD00772



VD00786



VD00872



VD00913



VD00932



VD00943



VD00956




VD00972



VD01062



VD01511





VD01880



Jet

Arper grade  
A

|                                                                                       |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|      |    |   |   |    |    |
| JE00001 (*)                                                                           | JE01001                                                                             | JE01006                                                                             | JE02010                                                                              | JE02012                                                                               | JE02024                                                                               |
|      |   |  |   |    |                                                                                       |
| JE03019                                                                               | JE03030                                                                             | JE03036                                                                             | JE03090                                                                              | JE04007                                                                               |                                                                                       |
|      |    |    |    |    |    |
| JE04017                                                                               | JE04018                                                                             | JE04027                                                                             | JE04028                                                                              | JE04051                                                                               | JE06007                                                                               |
|    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| JE06013                                                                               |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|      |    |    |    |    |    |
| JE06014                                                                               | JE06056                                                                             | JE06091                                                                             | JE06095                                                                              | JE06098                                                                               | JE07014                                                                               |
|    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| JE07025                                                                               |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|    |  |  |  |  |  |
| JE07034                                                                               | JE07041                                                                             | JE08001                                                                             | JE08009                                                                              | JE08017                                                                               | JE08033                                                                               |
|  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| JE08078                                                                               |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|    |  |  |  |  |  |
| JE09108                                                                               | JE09109                                                                             | JE09110                                                                             | JE09219                                                                              | JE09281                                                                               | JE09294                                                                               |
|  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| JE009301                                                                              |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|    |  |  |  |  |  |
| JE09302                                                                               | JE09304                                                                             | JE09305                                                                             | JE09401                                                                              | JE09402                                                                               | JE09403                                                                               |
|  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| JE09404                                                                               |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|    |  |  |  |  |  |
| JE09501                                                                               | JE09600                                                                             | JE09601                                                                             | JE09602                                                                              | JE09603                                                                               | JE09604                                                                               |
|  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| JE09605                                                                               |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |

(\*) Not available for Cila and Cila Go collections





Jet

Arper grade  
A



JE09606



JE09607



JE09608




JE09609



JE09610



JE09701



JE09702



JE09703



JE09704



JE09803



JE09804






JE09805



JE09806

(\*) Not available for Cila and Cila Go collections

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    |    |                                                                                     |                                                                                      |                                                                                       |                                                                                       |     |  |  |  |
|                                                                                     | MFMLF02                                                                             |                                                                                     |                                                                                      |                                                                                       |                                                                                       | MFMLF03                                                                               | MFMLF05                                                                             | MFMLF06                                                                             | MFMLF07                                                                             |
|    |    |                                                                                     |                                                                                      |                                                                                       |                                                                                       |     |  |  |  |
|                                                                                     | MFMLF08                                                                             |                                                                                     |                                                                                      |                                                                                       |                                                                                       | MFMLF09                                                                               | MFMLF10                                                                             | MFMLF12                                                                             | MFMLF13                                                                             |
|    |    |    |    |    |    |    |                                                                                     |                                                                                     |                                                                                     |
| MFMLF15                                                                             | MFMLF16                                                                             | MFMLF17                                                                             | MFMLF18                                                                              | MFMLF19                                                                               | MFMLF20                                                                               | MFMLF21                                                                               |                                                                                     |                                                                                     |                                                                                     |
|    |    |    |    |    |    |    |                                                                                     |                                                                                     |                                                                                     |
| MFMLF22                                                                             | MFMLF23                                                                             | MFMLF24                                                                             | MFMLF25                                                                              | MFMLF26                                                                               | MFMLF28                                                                               | MFMLF29                                                                               |                                                                                     |                                                                                     |                                                                                     |
|  |  |  |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |
| MFMLF31                                                                             | MFMLF32                                                                             | MFMLF34                                                                             | MFMLF36                                                                              | MFMLF43                                                                               | MFMLF44                                                                               | MFMLF45                                                                               |                                                                                     |                                                                                     |                                                                                     |
|  |  |  |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |
| MFMLF47                                                                             | MFMLF49                                                                             | MFMLF50                                                                             | MFMLF51                                                                              | MFMLF52                                                                               | MFMLF53                                                                               | MFMLF54                                                                               |                                                                                     |                                                                                     |                                                                                     |
|  |  |  |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |
| MFMLF55                                                                             | MFMLF56                                                                             | MFMLF57                                                                             | MFMLF59                                                                              | MFMLF60                                                                               | MFMLF61                                                                               | MFMLF62                                                                               |                                                                                     |                                                                                     |                                                                                     |
|  |  |  |  |  |                                                                                       |                                                                                       |                                                                                     |                                                                                     |                                                                                     |
| MFMLF63                                                                             | MFMLF64                                                                             | MFMLF65                                                                             | MFMLF66                                                                              | MFMLF67                                                                               |                                                                                       |                                                                                       |                                                                                     |                                                                                     |                                                                                     |

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |   |   |    |    |                                                                                       |
|                                                                                     | SNLDS08                                                                             | SNLDS16                                                                             | SNLDS17                                                                              | SNLDS18                                                                               | SNLDS19                                                                               |                                                                                       |
|    |    |   |   |    |    |                                                                                       |
|                                                                                     | SNLDS20                                                                             | SNLDS21                                                                             | SNLDS22                                                                              | SNLDS23                                                                               | SNLDS24                                                                               |                                                                                       |
|    |    |    |    |    |    |    |
| SNLDS25                                                                             | SNLDS26                                                                             | SNLDS27                                                                             | SNLDS28                                                                              | SNLDS29                                                                               | SNLDS31                                                                               | SNLDS32                                                                               |
|    |    |    |    |    |    |    |
| SNLDS33                                                                             | SNLDS34                                                                             | SNLDS35                                                                             | SNLDS36                                                                              | SNLDS37                                                                               | SNLDS38                                                                               | SNLDS39                                                                               |
|  |  |  |  |  |  |  |
| SNLDS40                                                                             | SNLDS41                                                                             | SNLDS43                                                                             | SNLDS44                                                                              | SNLDS45                                                                               | SNLDS47                                                                               | SNLDS48                                                                               |
|  |  |  |  |  |  |  |
| SNLDS49                                                                             | SNLDS50                                                                             | SNLDS51                                                                             | SNLDS52                                                                              | SNLDS53                                                                               | SNLDS54                                                                               | SNLDS55                                                                               |
|  |  |  |  |  |  |  |
| SNLDS56                                                                             | SNLDS57                                                                             | SNLDS58                                                                             | SNLDS59                                                                              | SNLDS60                                                                               | SNLDS61                                                                               | SNLDS62                                                                               |
|  |  |  |  |  |  |  |
| SNLDS63                                                                             | SNLDS64                                                                             | SNLDS66                                                                             | SNLDS67                                                                              | SNLDS68                                                                               | SNLDS69                                                                               | SNLDS70                                                                               |



**camira**  
Synergy

Arper grade  
C



SNLDS71



SNLDS72



SNLDS73



SNLDS76



SNLDS77



SNLDS78



SNLDS79



SNLDS80



SNLDS81



SNLDS82



SNLDS84



SNLDS85



SNLDS87



SNLDS88

**camira**  
Xtreme

Arper grade  
B





GI60300



GI60301



GI60302



GI60303



GI60320



GI60321



GI60322



GI60323



GI60324



GI60325



GI60328



GI60999



GI61037



GI61146



GI61229



GI61230



GI61247




GI61248



GI61249




GI61250




GI61251




GI61252



GI61253



GI61254




GI61255



GI61256



GI62016



GI62121



GI62122



GI62123



GI63117




GI63118



GI64041



GI64249



GI64250



GI64251



GI66216



GI66231




GI66232



GI66233



GI66234



GI66235



GI66236



GI66237




GI68155



GI68243




GI68257



GI68258



GI68259




GI68260




PA00001  
(Gabriel 60000)

Only for Kinesit.



PA00002  
(Gabriel 60999)

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |   |   |    |    |                                                                                       |
|                                                                                     | S160011                                                                             | S160021                                                                             | S160090                                                                              | S160091                                                                               | S160092                                                                               |                                                                                       |
|    |    |   |   |    |    |                                                                                       |
|                                                                                     | S160745                                                                             | S160746                                                                             | S160999                                                                              | S161103                                                                               | S161149                                                                               |                                                                                       |
|    |    |    |    |    |    |    |
| S161787                                                                             | S161788                                                                             | S161789                                                                             | S161791                                                                              | S161793                                                                               | S162057                                                                               | S162073                                                                               |
|    |    |    |    |    |    |    |
| S162744                                                                             | S162746                                                                             | S163012                                                                             | S163075                                                                              | S163082                                                                               | S163736                                                                               | S163738                                                                               |
|  |  |  |  |  |  |  |
| S163739                                                                             | S164013                                                                             | S164159                                                                             | S164178                                                                              | S164179                                                                               | S164767                                                                               | S164770                                                                               |
|  |  |  |  |  |  |  |
| S165011                                                                             | S165018                                                                             | S165023                                                                             | S165047                                                                              | S166018                                                                               | S166019                                                                               | S166148                                                                               |
|  |  |  |  |  |  |  |
| S166149                                                                             | S166150                                                                             | S166151                                                                             | S166152                                                                              | S166763                                                                               | S166764                                                                               | S166765                                                                               |
|  |  |  |  |  |  |  |
| S167004                                                                             | S167007                                                                             | S167072                                                                             | S167073                                                                              | S167735                                                                               | S168118                                                                               | S168119                                                                               |

**Gabriel**  
Step

Arper grade  
**B**



S168120



S168121



S168158



S168159



S168161



S168162



S168163



S168165



S168700




S168701



S168798



S168799

|                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |
| SM60004                                                                             | SM60011                                                                             | SM60021                                                                              | SM60090                                                                               | SM60092                                                                               | SM60345                                                                               |
|    |    |    |    |    |    |
| SM60345                                                                             | SM61103                                                                             | SM61104                                                                              | SM61149                                                                               | SM61151                                                                               | SM61152                                                                               |
|    |    |    |    |    |    |
| SM61286                                                                             | SM61287                                                                             | SM61288                                                                              | SM61289                                                                               | SM61291                                                                               | SM61293                                                                               |
|    |    |    |    |    |    |
| SM62057                                                                             | SM62073                                                                             | SM62143                                                                              | SM62144                                                                               | SM62146                                                                               | SM63075                                                                               |
|  |  |  |  |  |  |
| SM63136                                                                             | SM63137                                                                             | SM63138                                                                              | SM63139                                                                               | SM64013                                                                               | SM64159                                                                               |
|  |  |  |  |  |  |
| SM64178                                                                             | SM64267                                                                             | SM64270                                                                              | SM65011                                                                               | SM65018                                                                               | SM65023                                                                               |
|  |  |  |  |  |  |
| SM66018                                                                             | SM66019                                                                             | SM66148                                                                              | SM66150                                                                               | SM66151                                                                               | SM66152                                                                               |
|  |  |  |  |  |  |
| SM66264                                                                             | SM66265                                                                             | SM67004                                                                              | SM67007                                                                               | SM67072                                                                               | SM67135                                                                               |
|  |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
| SM68118                                                                             |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |

# Gabriel<sup>®</sup>

Step Melange

Arper grade  
B



SM68119



SM68120



SM68120




SM68158




SM68159




SM68161



SM68162




SM68163



SM68165



SM68298



SM68299



SM68300



SM68301

LIMONTA 1893


Cico

Arper grade

C



C200001



C200002



C200006



C200007



C200017



C200043



C200256



C200259



C200270



C200271



C200272



C200273



C200274



C200275



C200276



C200277



C201000



LK00003



LK00040



LK00041



LK00043




LK00044



LK00047



LK00048



LK00049



LK00205



LK00206



LK00207



LK00211



LK00212



LK00213





LK00215



LK00216



LK00218


|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |   |   |    |    |                                                                                       |
|                                                                                     | MS00007                                                                             | MS00008                                                                             | MS00024                                                                              | MS00025                                                                               | MS00029                                                                               |                                                                                       |
| MS00001                                                                             |    |   |   |    |    |                                                                                       |
|                                                                                     | MS00031                                                                             | MS00038                                                                             | MS00040                                                                              | MS00041                                                                               | MS00045                                                                               |                                                                                       |
|    |    |    |    |    |    |    |
| MS00046                                                                             | MS00048                                                                             | MS00050                                                                             | MS00051                                                                              | MS00053                                                                               | MS00054                                                                               | MS00058                                                                               |
|    |    |    |    |    |    |    |
| MS00060                                                                             | MS00061                                                                             | MS00062                                                                             | MS00063                                                                              | MS00066                                                                               | MS00067                                                                               | MS00069                                                                               |
|  |  |  |  |  |  |  |
| MS00070                                                                             | MS00071                                                                             | MS00072                                                                             | MS00076                                                                              | MS00077                                                                               | MS00078                                                                               | MS00079                                                                               |
|  |  |  |  |  |  |  |
| MS00080                                                                             | MS00081                                                                             | MS00082                                                                             | MS00083                                                                              | MS00084                                                                               | MS00085                                                                               | MS00086                                                                               |
|  |  |  |  |  |  |  |
| MS00087                                                                             | MS00088                                                                             | MS00089                                                                             | MS00090                                                                              | MS00091                                                                               | MS00092                                                                               | MS00093                                                                               |
|  |  |  |  |  |                                                                                       |                                                                                       |
| MS00094                                                                             | MS00095                                                                             | MS00096                                                                             | MS00097                                                                              | MS00098                                                                               |                                                                                       |                                                                                       |



Sera

Arper grade

G



S800001



S800002



S800003



S800004



S800005



S800006



S800007



S800008



S800009



S800010



S800011



S800012



S800013



S800014



S800015



S800016



S800017



S800018



S800019



S800020



S800021



S800022



S800023



S800027




S800028



S800029




FB00001



FB00002



FB00003



FB00004




FB00005



FB00006




FB00007



FB00008




FB00009




FB00010




FB00011



FB00012



FB00013



FB00014



FB00015




FB00016



FB00017



FB00018



FB00019



FB00020



FB00021



FB00022



FB00023



FB00024



FB00025




FB00026




FB00027



FB00028



FB00029



FB00030



FB00031



FB00032




FB00033



FB00034




FB00035



FB00036



FB00037



FB00038



FB00039



FB00040




FB00041



FB00042



FB00043



FB00044



FB00045



FB00046



FB00047



FB00048




FB00049



FB00050



FB00051




FB00052



FB00053



FB00054



FB00055



FB00056




FB00057



FB00058



FB00059



FB00060



Arper grade  
C




HE00001



HE00006



HE00009



HE00011




HE00012



HE00015



HE00016



HE00017




HE00018



HE00019



HE00021



HE00024


Not available for Duna 02 cushions.



Arper grade  
C



SV00233




SV00234



SV00235



SV00236



SV00349



SV00350



SV00351



SV00446



SV00447




SV00448



SV00449



SV00450



SV00451



Istituito nel 1992, il marchio comunitario di qualità ecologica o Ecolabel, il cui logo è rappresentato da un fiore, è uno speciale sistema di certificazione creato per aiutare i consumatori europei a scegliere prodotti e servizi più ecologici e più rispettosi dell'ambiente.

Established in 1992, the EU Eco-label "Flower" is a unique certification scheme aimed to help European consumers distinguish greener, more environmentally friendly, products and services.

Hinter der "Blume", dem 1992 ins Leben gerufenen EU-Umweltzeichen, steckt ein einzigartiges Zertifizierungssystem, das dem europäischen Verbraucher das Erkennen umweltfreundlicherer Produkte und Dienstleistungen erleichtern soll.

Établi en 1992, le label écologique de l'EU symbolisé par la "Fleur" est un système d'homologation unique destiné à aider les consommateurs européens à discerner les produits et services plus verts et plus favorables à l'environnement.

Creada en 1992, la etiqueta ecológica de la UE, también conocida como "la flor", constituye un sistema de certificación único, cuyo objetivo es ayudar a los consumidores europeos a identificar los productos y servicios más ecológicos y respetuosos del medio ambiente.

## Finishes – Colors correspondence chart

| Materials            | Description     | Colour          |
|----------------------|-----------------|-----------------|
| <b>Polypropylene</b> |                 |                 |
| PA00001              | White           | RAL 9003        |
| PA00002              | Black           | RAL 9005        |
| PC00001              | Traffic White   | NCS S 0500-N    |
| PC00002              | Nearly Black    | NCS S 8500-N    |
| PC00003              | Terracotta      | NCS S 3020-Y70R |
| PC00004              | Rust            | NCS S 4040-Y70R |
| PC00005              | Clear Blue/grey | NCS S 4005-B80G |
| PD00001              | Ivory           | NCS S 2005-Y20R |
| PD00002              | Bark brown      | NCS S 7005-Y80R |
| PD00003              | Olive green     | NCS S 6010-G90Y |
| PD00004              | Nearly Black    | NCS S 8500-N    |
| PG00011              | Snow white      | NCS S 1002-Y    |
| PG00012              | Rust            | NCS S 4040-Y70R |
| PG00013              | Sage green      | NCS S 3010-G20Y |
| PG00014              | Neptune blue    | NCS S 7020-R90B |
| PG00015              | Black           | NCS S 8500-N    |
| PP0001               | White           | RAL 9003        |
| PP0004               | Turtledove grey | NCS S 4005-Y20R |
| PP0005               | Anthracite      | NCS S 7500-N    |
| PP0006               | Black           | RAL 9004        |
| PS00002              | Nearly Black    | NCS S 8500-N    |
| PS00003              | Petrol          | NCS S 4010-B50G |
| PS00004              | Rust            | NCS S 4040-Y70R |
| PS00005              | Ivory           | NCS S 2005-Y20R |

| Materials         | Description           | Colour                   |
|-------------------|-----------------------|--------------------------|
| PT00011           | Snow White            | NCS S 1002-Y             |
| PT00012           | Sage green            | NCS S 3010-G20Y          |
| PT00013           | Rust                  | NCS S 4040-Y70R          |
| PT00014           | Turtledove grey       | NCS S 4005-Y20R          |
| PT00015           | Anthracite            | NCS S 6502-G             |
| PT00016           | Nearly Black          | NCS S 8500-N             |
| P25               | Black                 | NCS S 8500-N             |
| P63               | Rust                  | NCS S 4040-Y70R          |
| P65               | Green olive           | NCS S 6010-G90Y          |
| P67               | Neptune blue          | NCS S 7020-R90B          |
| P68               | Snow white            | NCS S 1002-Y             |
| <b>Monocolour</b> |                       |                          |
| PO00101           | White                 | RAL 9003                 |
| PO00109           | Black                 | RAL 9004                 |
| PO00112           | Anthracite            | NCS S 7500-N             |
| PO00113           | Ivory                 | NCS S 2500-Y20R          |
| PO00114           | Turtledove grey       | NCS S 4500-Y20R          |
| PO00115           | Yellow                | NCS S 4500-G20Y          |
| PO00116           | Rosé                  | NCS S 3020-Y80R          |
| PO00117           | Petrol                | NCS S 4010-B50G          |
| PO00401           | White                 | RAL 9003                 |
| PO00409           | Black                 | RAL 9004                 |
| <b>Bicolour</b>   |                       |                          |
| PO00205           | White-red             | RAL 9003-3020            |
| PO00209           | White-black           | RAL 9003-9004            |
| PO00212           | White-anthracite      | RAL 9003-NCS S 7500-N    |
| PO00213           | White-ivory           | RAL 9003-NCS S 2005-Y20R |
| PO00214           | White-turtledove grey | RAL 9003-NCS S 4005-Y20R |
| PO00217           | White-petrol          | RAL 9003-NCS S 4010-B50G |
| PO00218           | White-green           | RAL 9003-PANTONE 390 U   |

| Materials     | Description             | Colour          |  |
|---------------|-------------------------|-----------------|--|
| <b>Metals</b> |                         |                 |  |
| CRO           | Chrome finish steel     |                 |  |
| LU1           | Shiny aluminium/steel   |                 |  |
| S03           | Brushed stainless steel |                 |  |
| V12           | White                   | RAL 9003        |  |
| V13           | Green                   | PANTONE 390 U   |  |
| V14**         | Space grey              |                 |  |
| V15**         | Anthracite grey         |                 |  |
| V16**         | Copper                  |                 |  |
| V24           | Traffic White           | NCS S 0500-N    |  |
| V25           | Nearly Black            | NCS S 8500-N    |  |
| V34           | Mocha                   | RAL 8019        |  |
| V39           | Black                   | RAL 9005        |  |
| V44**         | Noir sable              |                 |  |
| V48           | Red                     | RAL 2002        |  |
| V53           | Ivory                   | NCS S 2005-Y20R |  |
| V54           | Turtledove grey         | NCS S 4005-Y20R |  |
| V55           | Yellow                  | NCS S 1050-G90Y |  |
| V56           | Rosé                    | NCS S 3020-Y80R |  |
| V57           | Petrol                  | NCS S 4010-B50G |  |
| V61           | Red earth               | NCS S 5040-Y70R |  |
| V63           | Rust                    | NCS S 4040-Y70R |  |
| V65           | Olive green             | NCS S 6010-G90Y |  |
| V67           | Neptune blue            | NCS S 7020-R90B |  |
| V68           | Snow white              | NCS S 1002-Y    |  |
| V76           | Midnight blue           | NCS S 7020-R70B |  |
| V77           | Forest green            | NCS S 8010-B70G |  |

| Materials             | Description        | Colour                  |
|-----------------------|--------------------|-------------------------|
| <b>Compact HPL</b>    |                    |                         |
| H02                   | White              | NCS S 0502-G50Y         |
| H03                   | Black              | NCS S 9000-N            |
| H05                   | Porphyry           |                         |
| H06                   | White chalk        |                         |
| <b>MDF</b>            |                    |                         |
| M02                   | White              | RAL 9003                |
| M04                   | Black              | RAL 9005                |
| M08                   | Moss green         | NCS S 5020-G50Y         |
| M09                   | Red clay           | NCS S 4030-Y60R         |
| M18                   | Autumn yellow      | NCS S 6020 Y            |
| M19                   | Dijon yellow       | NCS S 4030 Y10R         |
| M20**                 | Sandy black        |                         |
| M21                   | Ginger yellow      | NCS S 1050-Y10R         |
| M24                   | Traffic white      | NCS S 0500-N            |
| M25                   | Black              | NCS S 8500-N            |
| M30                   | Oxidised red       | NCS S 6020-Y90R         |
| M38                   | Siena red          | NCS S 4030-Y70R         |
| M67                   | Neptune blue       | NCS S 7020-R90B         |
| M69                   | Coral pink         | NCS S 1050-Y70R         |
| M70                   | Tourmaline green   | NCS S 7010-B90G         |
| M71                   | Antique green      | NCS S 5010-G10Y         |
| M72                   | Prehnite green     | NCS S 1020-G10Y         |
| M73                   | North Sea blue     | NCS S 5030-B            |
| M74                   | Sky blue           | NCS S 1020-B            |
| M75                   | Warm grey          | NCS S 2500-N            |
| M76                   | Midnight blue      | NCS S 7020-R70B         |
| M77                   | Forest green       | NCS S 8010-B70G         |
| M78                   | Jaipur pink        | NCS S 5020-Y70R         |
| <b>MDF + laminate</b> |                    |                         |
| M34                   | Dark brown + White | RAL 8019-RAL 9003       |
| M39                   | Black + White      | RAL 9004-RAL 9003       |
| M48                   | Red + White        | RAL 2002-RAL 9003       |
| M53                   | Ivory + White      | NCS S2005-Y20R-RAL 9003 |



| Materials     | Description   | Colour          |
|---------------|---------------|-----------------|
| <b>Marble</b> |               |                 |
| B01           |               |                 |
| <b>Glass</b>  |               |                 |
| V02           |               |                 |
| VT075         | Warm grey     | NCS S 2500-N    |
| VT076         | Midnight blue | NCS S 7020-R70B |
| VT077         | Forest green  | NCS S 8010-B70G |
| VT078         | Jaipur pink   | NCS S 5020-Y70R |

**NCS / RAL / PANTONE codes refer to the masters used for the colours. Surface finishes may cause slight variations in appearance relative to the indicated references.**

**\* The above references are not perfect equivalences, they are the best available match.**

**\*\* Finishes without colour reference, please request a sample.**

**Fabrics:**

It is important that fabrics are cleaned regularly in order to keep them looking their best and extend their life. Powder and dirt can cause wear and tear on fabrics and as such we advise that you clean them using a low-pressure vacuum cleaner, preferably once a week.

Non-greasy stains can be removed by delicately dabbing them with a clean cloth that won't leave any lint or a sponge that has been soaked in clean, warm water then thoroughly squeezed out. If necessary, you can then soak with soapy water or water with liquid washing up detergent added (see formulas). Once this is done, soak the surface with clean, tepid water.

For greasy stains, use a dry stain remover. Ensure that you comply with the manufacturer's instructions as closely as possible. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

**Formulas:** The soapy solution consists of ¼ deciliter soap flakes per liter of hot water, which must then be cooled before use. The solution with dishwashing liquid is made up of max 1 teaspoon of detergent per every liter of water. If you use concentrated products, pour only a few drops into each liter of product.

**Coated fabrics:**

Regularly dust using a microfibre cloth. In the event of stains, clean using a cloth that has been dampened using tepid water or water with some neutral soap in it. Do not use abrasive products, ethyl alcohol and solvent-based detergents. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

**Structural mesh in knitted fabric:**

Made to Arper's technical specifications with post-consumption recycled polyester yarns, the knitted fabric mesh is soft and comfortable. The particular structure makes it self-draining and breathable, this ensures rapid passage of the water and makes it quick drying. It has excellent resistance to weathering, humidity and temperature changes, also thanks to the addition of anti-UV stabilisers that prevent and slow down natural ageing without the addition of substances dangerous to the environment or to health. **Maintenance:** It is important to regularly clean the fabric in order to maintain its appearance in the best conditions and to extend its life. Dust and dirt wear out the fabric, so it is recommended to clean it with low suction vacuum cleaners, preferably once a week. Non-grease stains are eliminated by gently dabbing them with a clean cloth that leaves no residue or a sponge immersed in clean hot water and then well squeezed. If necessary, wash by dipping the cloth used for cleaning in soapy water or water with the addition of liquid dishwashing detergent (see formulas). Then dab

the surface with clean warm water, letting it dry completely.

For grease stains, it is possible to use dry stain removers, scrupulously following the manufacturer's instructions.

Do not use hot steam, do not dry with electrical appliances with temperatures above 50°C. Do not use abrasive substances or chemical solvents.

In case of doubt, test the cleaning product on a part hidden from view to verify the result, waiting at least 24 hours for any problems to arise.

**Formulas:** The soapy solution consists of 1/4 dl of soap flakes for each litre of hot water, which then needs to be cooled before use. The solution with liquid dishwashing detergent consists of up to 1 teaspoon of detergent per litre of water. If you use concentrated products, pour only a few drops into each litre of product.

**Leather, hard leather:**

Take care not to place products in direct sunlight as this can alter the colour of these materials. Avoid exposing the materials to heat sources.

Regularly dust using a soft, dry cloth. Any stains need to be removed as quickly as possible to prevent them from soaking in deeply. Use absorbent paper or a cloth to absorb them straight away. For cleaning, use specific, high-quality leather cleaning products and comply with the manufacturer's instructions as closely as possible.

If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise. Alternatively, use a cloth that has been dampened with some water and well-diluted neutral soap. Do not rub. Instead, delicately dab the stain working from the edge into the centre, then dry immediately after treatment.

**Wood:**

Dust and common domestic stains can be removed using a solution made from water and well-diluted neutral soap. Under no circumstances should you use commercial stain removers for cleaning. In order to avoid scratching the products, use a soft cloth and clean using circular movements. Do not use solvents or abrasive products. Always dry surfaces using a dry cloth. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

**Wood for outdoor use:**

Wood is a natural material suitable for outdoor use. For a sustainable approach, Arper selects only essences from Europe within an FSC certified chain of custody. The use of water-based paints, safe for health and the environment, guarantees a high level of protection and durability for outdoor use, with a reduced

environmental impact.

**Maintenance:** Dust and the most common stains can be removed using a well-diluted solution of water and neutral soap. It is absolutely necessary not to use commercial stain removers for cleaning. To avoid scratching, use a soft cloth and clean with gentle, circular movements (especially the opaque finishes, if subjected to action that is too aggressive, may develop shiny halos in spots). Do not use waxes for furniture or floors, solvents or abrasive products. Always dry the surfaces with a dry cloth. Do not use the pressure washer or high-pressure water, which may damage the surface of the wood. In case of doubt, test the cleaning solution on a part hidden from view to verify the result, waiting at least 24 hours for any problems to arise. Immediately remove any liquids spilled on the surface of the wood, avoid the accumulation of water or other liquids that could damage the product.

Wood can have impurities and imperfections, which fall within accepted quality standards, and should be considered as distinctive features that attest to its natural beauty. Periodic and correct maintenance extends the life of the product.

#### **Plastic Materials:**

Regularly plastic surfaces dust using a microfibre cloth. Dust and common domestic stains can be removed using a cloth or sponge that has been dampened in tepid water or water with some well-diluted neutral detergent in it.

Do not use commercial stain removers or aggressive products for cleaning. In order to avoid scratching the products, use a soft cloth and clean using circular movements. Under no circumstances should you use solvent-based detergents or abrasive products. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

#### **Chrome-plated, anodised or painted metal surfaces:**

Clean using specific products such as regular detergents for domestic surfaces diluted in tepid water, provided they are not abrasive and do not contain acid or bleach. Avoid using sponges and scourers made from synthetic fibre or metal as these could permanently mark surfaces. After cleaning, rinse products carefully to prevent traces of detergent from reacting with the surface finish to avoid dulling or oxidation. After cleaning, dry with a shammy cloth. The use of polish on chrome-plated or painted surfaces is not recommended. These products should always be used with caution and only be experts as their abrasive qualities could irreparably damage surfaces. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

#### **Stainless steel:**

Clean on a regular basis (every 15-20 days) using a soft damp cloth or common products specific for stainless steel.

#### **Table Tops:**

Clean and remove any substance that accidentally comes into contact with the surface as quickly as possible using a damp cloth or microfibre cloth and some neutral detergent diluted in tepid water. Always dry after cleaning. Aggressive detergents containing bleach or abrasive detergents (such as bathroom cream cleaner) must never be used. Take care not to rub too hard in order to avoid scratching the surface. Avoid using sponges or scourers made from synthetic fibres or metal.

If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

#### **Glass surfaces**

The tempered glass used by Arper ensures high levels of safety. In the event of a breakage, the glass smashes into tiny, rounded fragments which will not cause a cut. In any case, you should avoid hitting the glass with hard or sharp objects and the glass should not be exposed to extreme shifts in temperature (i.e. do not place very hot or cold items on it). Regularly dust glass using a microfibre cloth. Clean using specific products or neutral soap applied using a soft, clean cloth. Do not use powered detergents or abrasive detergents that could scratch the glass, causing irrevocable damage to the surface. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

#### **Marble and Venetian Terrazzo surfaces:**

Clean and remove any substance that accidentally comes into contact with the surface as quickly as possible using a damp cloth or microfibre cloth and some tepid water or a specialist detergent. Always dry immediately after cleaning. Take care not to rub too hard in order to avoid scratching the marble. If you have any doubts, test the cleaning product on a discreet area in order to check its effect. Wait for at least 24 hours to see if any problems arise.

Marble is a calcareous, porous material that is susceptible to reactions with acidic substances. Marble can absorb fatty or oily substances and colourants. These can soak into the material and stain the surface. During use, you are advised against using objects that can scratch or cause abrasions to the surface, such as acidic products (Coca Cola, vinegar, acidic detergents) and colourants (wine, coffee, fruit, sugary liquid, tomato sauce, very hard water etc.).

# Care instructions

## **Indications for use & maintenance of “outdoor” products:**

Arper guarantees, through laboratory tests, the strength and durability of its products. It should be noted, however, that any material exposed to atmospheric agents and the elements, even if treated specifically for outdoor use, will undergo a gradual deterioration over time, the extent of which is closely related to the geographical position, the evolution of climatic phenomena, the more or less marked presence of humidity, salinity (poolside, marine environments).

Use and maintenance are conditions that determine the actual yield and maintenance in good condition of the product over time. It is therefore recommended to avoid critical external conditions such as prolonged and direct exposure to sunlight, pouring rain and aggressive environments such as proximity to the seaside or where the sea breeze can bring high levels of moisture with marine salinity or abrasive sands. Do not place wooden products on lawns or uneven surfaces, where any stagnation of water may damage the parts in contact. In any case, never let water or other liquids stagnate on the product. In the vicinity of plants or trees, remove any leaves, flowers or organic substances that could rest on the surfaces of the product, to prevent that their deterioration stains the paints or fabrics. In case of exposure to rain, as soon as possible, remove the pillows (if any) from the chair and let them dry separately to facilitate drying and drainage of the water. Periodic cleaning is recommended, following the recommended indications for the different materials. For short periods when the product is not in use, it is recommended to cover it with the protective cover. In case of prolonged non-use or during the winter period, it is recommended to clean the product, allow it to dry well, and store it in a well-aerated indoor place, protected from the elements. The pillows (if any) must be removed from the chair, cleaned and left to dry well, and finally, stored in a well-aerated indoor place, protected from the elements.

## **Papershell:**

Dust and common stains can be removed using a solution of water and well-diluted neutral soap. Clean and remove any substance or liquid that accidentally falls on the surface as soon as possible, as it could damage the product. The use of commercial stain removers, aggressive cleaners or those containing bleach, furniture or floor waxes, solvents, or abrasive products must be strictly avoided. Use a soft cloth and clean with gentle circular movements (especially for matte finishes, which may develop shiny streaks if subjected to overly aggressive action); avoid synthetic fiber or metal sponges and pads, as they could irreparably scratch the surfaces. Always dry the surfaces with a dry cloth. In case of doubt, test the cleaning solution on a hidden part of the product to check the result, waiting at least 24 hours for any potential issues to arise. Over time, the material will undergo a color shift, particularly if exposed to sunlight; this should be considered a distinctive feature that highlights its natural beauty. Regular and proper maintenance will slow down this process and prolong the product's lifespan.

I colori visualizzati sono puramente indicativi e possono variare rispetto alla realtà. Rivolgersi ad Arper o al proprio rivenditore di fiducia per ricevere un campione colore o per maggiori informazioni.

Arper SPA si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso.

Per maggiori informazioni visitate il sito [arper.com](http://arper.com)

Colours shown are used for reference only and may look different in reality. Please contact Arper or your retailer to receive a colour sample or more information.

Arper SPA reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.

For further information, please visit [arper.com](http://arper.com)

Bei den angezeigten Farben handelt es sich um reine Farbbeispiele, die von der Realität abweichen können.

Für Farbmuster und nähere Informationen wenden Sie sich bitte an Arper oder an den Händler Ihres Vertrauens.

Arper SPA behält sich das Recht vor, jederzeit und ohne Vorankündigung Veränderungen und Verbesserungen technischen und ästhetischen Charakters an seinen Produkten vorzunehmen.

Für weitere Informationen besuchen Sie bitte unsere Webseite [arper.com](http://arper.com)

La reproduction photographique des couleurs n'est que purement indicative et peut être différente de la réalité. S'adresser à Arper ou à votre revendeur de confiance pour recevoir un échantillon de couleur ou pour de plus amples informations.

Arper SPA se réserve le droit d'apporter des modifications et/ou des améliorations d'ordre technique et esthétique à ses produits, et ceci à tout moment et sans préavis.

Pour plus d'informations, rendez-vous sur le site [arper.com](http://arper.com)

Los colores visualizados son meramente indicativos y pueden diferir de la realidad. Para recibir una muestra del color o para más información, contactar a Arper o a su distribuidor de zona.

Arper SPA se reserva el derecho de realizar cambios y/o mejoras técnicas y estéticas en sus productos en cualquier momento y sin previo aviso.

Para más información, visite [arper.com](http://arper.com)

## Italy

Monastier (TV) — Headquarters  
and showroom  
Arper SPA  
Via Lombardia 16  
31050 Monastier di Treviso (TV)  
T +39 0422 7918  
info@arper.com  
www.arper.com

Commerciale Italia  
T +39 0422 791905  
commerciale@arper.com

Export Office  
sales@arper.com

Milan — Showroom  
Via Pantano 30  
20122 Milan  
T +39 02 89093865  
milano@arper.com

## **EUROPE**

### UK

London — Subsidiary and showroom  
Arper UK LTD  
11 Clerkenwell Road  
London EC1M 5PA  
T +44 (0) 20 7253 0009  
london@arper.com

### Germany

Cologne — Showroom  
Design Post Köln  
Deutz-Mülheimer-Str. 22a  
50679 Köln  
T +49 221 690 650  
info@designpost.de

Fruchtof München — Meeting Hub  
2. Innenhof, 2. Etage  
Gotzinger Straße 52b  
D-81371 München  
T +49 171 1080976  
muenchen@arper.com

### Norway

Oslo — Showroom  
Drammensveien 130  
0277 Oslo  
T +47 908 202226  
norway@arper.com

### Sweden

Stockholm — Branch  
T +46 705 101216  
sweden@arper.com

## The Netherlands

Amsterdam — Showroom  
Design Post  
Cruquiusweg 111-L  
1019 AG Amsterdam  
T +31 (0)20 705 1555  
holland@arper.com

## **AMERICA**

### USA

New York — Subsidiary and showroom  
Arper USA Inc.  
476 Broadway, Suite 2F  
NY 10013 New York  
T +1 (212) 647 8900  
infousa@arper.com

Chicago — Showroom  
The Merchandise Mart  
Space#346 - 3rd Floor  
Chicago  
T +1 (336) 434 2366  
infousa@arper.com

High Point, North Carolina — Production  
and logistics site  
660 Southwest St  
High Point, NC 27260  
T +1 (336) 434 2370  
infousa@arper.com

Los Angeles — Showroom  
550 South Hope St., Suite 275  
90071 Los Angeles  
T +1 (336) 434 2382  
infousa@arper.com

### Mexico

Mexico City — Subsidiary and showroom  
Culiacan 123, Piso 9  
Col. Hipodromo Condesa  
Delegation Cuauhtémoc  
06170 – Ciudad de México  
Mexico  
T +52 1 62714417  
infolatam@arper.com

## **ASIA**

### Japan

Arper Japan K.K. — Subsidiary  
and showroom  
HT Jingu Gaien Bldg.8F  
Minato-ku Kita-Aoyama 2-7-22  
Tokyo 107-0061  
T +81 3 5775 0008  
carejpn@arper.com

### Singapore

Singapore — Branch  
c/o 3 Lim Teck Kim Road, #01-01  
Genting Centre  
088934 Singapore  
singapore@arper.com

### UAE

Arper Middle East and India  
— Subsidiary  
and showroom  
U-Bora Towers - Unit 1901  
Business Bay  
Dubai  
T +971 529255633  
infome@arper.com



arper